




FgArea: [' 0']


NC11 P3-6


2025-04-05 (Day 7)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]



Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]



Plot [[' FV0EC:r-o' , ' ECO:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-6_0





FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	91	50.0	晴	预期@06:40 (未用传感器)
09:30	91	50.0	晴	预期@09:30 (未用传感器)
12:15	91	50.0	晴	预期@12:15 (未用传感器)
总计	273.0 (3次)	150.0		建议进液EC: 1900.0, PH: 5.8







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	210	50.0	多云	假设@06:45（未用传感器）
07:50	210	50.0	多云	假设@07:50（未用传感器）
12:40	210	50.0	阴	假设@12:40（未用传感器）
总计	630.0（3次）	150.0		建议进液EC：2080.0， PH： 5.8

上次灌溉时长(210.0)与预期(89.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉118.0 ml.
large discrepancy for begining water status (47:210.0), set to 80.0 ml.
回液EC（1995.0 vs 2185）偏低









时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:50	210	50.0	晴	假设@09:50（未用传感器）
总计	210.0（1次）	50.0		建议进液EC：1900.0， PH： 5.8


上次灌溉时长(210.0)与预期(89.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉118.0 ml.






















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:55	900	50.0	晴	假设@09:55（未用传感器）
12:50	900	50.0	晴	假设@12:50（未用传感器）
总计	1800.0（2次）	100.0		建议进液EC：1840.0， PH： 5.6

上次灌溉时长(300.0)与预期(89.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉168.0 ml.
进回液EC差(2165.0 vs 3110.0)偏高







$m=750$, $FV0=0$



$m=840$, $FV0=0$





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:55	60	50.0	阴	假设@09:55 (未用传感器)
总计	60.0 (1次)	50.0		建议进液EC: 2000.0, PH: 5.5

