




FgArea: [' 0']


NC11 P3-7

2025-05-02 (Day 34)











Warning: col ['FR'] missing


This figure shows a blank plot with both the x-axis and y-axis ranging from 0.0 to 1.0. The axes have major tick marks at intervals of 0.2. A text message, 'Warning: col ['FR'] missing', is displayed in the lower-left area of the plot.




Warning: col ['setVI'] missing

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot `[[ 'FV0EC:r-o' , 'EC0:g-o' ]]`




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-7_0





FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	234	150.0	阴	预期@07:00 未知程序（未用传感器）
08:25	234	150.0	阴	预期@08:25 未知程序（未用传感器）
10:00	234	150.0	阴	预期@10:00 未知程序（未用传感器）
11:10	234	150.0	阴	预期@11:10 未知程序（未用传感器）
12:15	234	150.0	阴	预期@12:15 未知程序（未用传感器）
13:20	234	150.0	阴	预期@13:20 未知程序（未用传感器）
14:30	234	150.0	阴	预期@14:30 未知程序（未用传感器）
15:55	234	150.0	阴	预期@15:55 未知程序（未用传感器）
总计	1872.0 (8次)	1200.0		建议进液EC: 2080.0, PH: 6.0


昨天灌溉EC（2745.0）与设定EC（2000.0）偏差较大，请检查







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	234	150.0	多云	假设@08:20 自动（未用传感器）
09:15	234	150.0	多云	假设@09:15 自动（未用传感器）
10:35	234	150.0	多云	假设@10:35 自动（未用传感器）
11:45	234	150.0	晴	假设@11:45 自动（未用传感器）
12:45	234	150.0	晴	假设@12:45 自动（未用传感器）
13:40	234	150.0	晴	假设@13:40 自动（未用传感器）
14:40	234	150.0	晴	假设@14:40 自动（未用传感器）
15:45	234	150.0	晴	假设@15:45 自动（未用传感器）
总计	1872.0（8次）	1200.0		建议进液EC：2080.0， PH：6.0

上次灌溉时长(300)与预期(234.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉192.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2870.0）与设定EC（2000.0）偏差较大，请检查
昨天灌溉进排液EC/PH值缺失，可能影响模型决策







m=820, FV0=0




m=915, FV0=0




m=1055, FV0=0




m=1060, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	212	150.0	多云	假设@06:40 自动（未用传感器）
07:40	212	150.0	多云	假设@07:40 自动（未用传感器）
08:40	212	150.0	多云	假设@08:40 自动（未用传感器）
09:40	212	150.0	阴	假设@09:40 自动（未用传感器）
10:40	212	150.0	阴	假设@10:40 自动（未用传感器）
11:40	212	150.0	阴	假设@11:40 自动（未用传感器）
12:40	212	150.0	阴	假设@12:40 自动（未用传感器）
13:40	212	150.0	阴	假设@13:40 自动（未用传感器）
15:35	212	150.0	阴	假设@15:35 自动（未用传感器）
总计	1908.0（9次）	1350.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(212)与预期(234.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉136.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2870.0）与设定EC（2000.0）偏差较大，请检查
昨天灌溉进排液EC/PH值缺失，可能影响模型决策










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
05:05	212	150.0	晴	假设@05:05 自动（未用传感器）
06:00	212	150.0	多云	假设@06:00 自动（未用传感器）
06:55	212	150.0	多云	假设@06:55 自动（未用传感器）
07:50	212	150.0	阴	假设@07:50 自动（未用传感器）
08:50	212	150.0	多云	假设@08:50 自动（未用传感器）
10:00	212	150.0	晴	假设@10:00 自动（未用传感器）
11:10	212	150.0	晴	假设@11:10 自动（未用传感器）
12:20	212	150.0	晴	假设@12:20 自动（未用传感器）
13:40	212	150.0	晴	假设@13:40 自动（未用传感器）
14:40	212	150.0	晴	假设@14:40 自动（未用传感器）
15:45	212	150.0	晴	假设@15:45 自动（未用传感器）
总计	2332.0（11次）	1650.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(300)与预期(234.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉192.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2870.0）与设定EC（2000.0）偏差较大，请检查
昨天灌溉进排液EC/PH值缺失，可能影响模型决策







m=675, FV0=0




m=845, FV0=0




m=915, FV0=0




m=1040, FV0=0




m=1060, FV0=0



m=1160, FV0=0





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	210	150.0	晴	假设@06:45 手动（未用传感器）
07:35	210	150.0	晴	假设@07:35 手动（未用传感器）
08:25	210	150.0	晴	假设@08:25 手动（未用传感器）
09:15	210	150.0	晴	假设@09:15 手动（未用传感器）
10:05	210	150.0	晴	假设@10:05 手动（未用传感器）
11:05	210	150.0	晴	假设@11:05 手动（未用传感器）
12:05	210	150.0	晴	假设@12:05 手动（未用传感器）
13:00	210	150.0	晴	假设@13:00 手动（未用传感器）
13:55	210	150.0	晴	假设@13:55 手动（未用传感器）
14:55	210	150.0	晴	假设@14:55 手动（未用传感器）
16:15	210	150.0	晴	假设@16:15 手动（未用传感器）
总计	2310.0（11次）	1650.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(210)与预期(234.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉134.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2870.0）与设定EC（2000.0）偏差较大，请检查
昨天灌溉进排液EC/PH值缺失，可能影响模型决策

