




FgArea: [' 0']


NC11 P3-7

2025-05-11 (Day 43)












Warning: col ['FR'] missing




Warning: col ['setVI'] missing

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-7_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
05:50	222	120.0	晴	预期@05:50 未知程序 (未用传感器)
06:40	222	120.0	晴	预期@06:40 未知程序 (未用传感器)
07:30	222	120.0	晴	预期@07:30 未知程序 (未用传感器)
08:45	222	120.0	晴	预期@08:45 未知程序 (未用传感器)
09:50	222	120.0	晴	预期@09:50 未知程序 (未用传感器)
10:45	222	120.0	晴	预期@10:45 未知程序 (未用传感器)
11:35	222	120.0	晴	预期@11:35 未知程序 (未用传感器)
12:25	222	120.0	晴	预期@12:25 未知程序 (未用传感器)
13:15	222	120.0	晴	预期@13:15 未知程序 (未用传感器)
14:05	222	120.0	晴	预期@14:05 未知程序 (未用传感器)
15:00	222	120.0	晴	预期@15:00 未知程序 (未用传感器)
16:05	222	120.0	晴	预期@16:05 未知程序 (未用传感器)
总计	2664.0 (12次)	1440.0		建议进液EC: 2080.0, PH: 6.0


昨天灌溉EC (2650.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2650.0 vs 3540.0) 偏高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:35	278	130.0	阴	假设@08:35 自动（未用传感器）
09:25	278	130.0	阴	假设@09:25 自动（未用传感器）
10:35	278	130.0	多云	假设@10:35 自动（未用传感器）
11:40	278	130.0	晴	假设@11:40 自动（未用传感器）
12:35	278	130.0	晴	假设@12:35 自动（未用传感器）
13:20	278	130.0	晴	假设@13:20 自动（未用传感器）
14:10	278	130.0	晴	假设@14:10 自动（未用传感器）
15:00	278	130.0	多云	假设@15:00 自动（未用传感器）
16:00	278	130.0	晴	假设@16:00 自动（未用传感器）
总计	2502.0（9次）	1170.0		建议进液EC：2080.0， PH：6.0

上次灌溉时长(278)与预期(241.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉150.0 ml.
昨天灌溉EC（2665.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2665.0 vs 3645.0)偏高







m=635, FV0=0




m=700, FV0=0




m=745, FV0=0




m=795, FV0=0




m=835, m FV0=0




m=880, m FV0=0




m=935, m FV0=0




m=1000, m FV0=0






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:35	268	130.0	阴	假设@10:35 自动（未用传感器）
11:45	268	130.0	小雨	假设@11:45 自动（未用传感器）
总计	536.0（2次）	260.0		建议进液EC: 2080.0, PH: 6.0



上次灌溉时长(268)与预期(228.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉153.0 ml.
large discrepancy for begining water status (82:279.0), set to 82 ml.
昨天灌溉EC（2620.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2620.0 vs 3690.0)偏高



m=515, FV0=0



m=670, FV0=0







m=515, m FV0=0

m=670, m FV0=0

m


m







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:30	278	130.0	多云	假设@07:30 自动（未用传感器）
08:30	278	130.0	多云	假设@08:30 自动（未用传感器）
09:50	278	130.0	多云	假设@09:50 自动（未用传感器）
11:00	278	130.0	晴	假设@11:00 自动（未用传感器）
12:00	278	130.0	晴	假设@12:00 自动（未用传感器）
13:00	278	130.0	多云	假设@13:00 自动（未用传感器）
13:55	278	130.0	多云	假设@13:55 自动（未用传感器）
14:50	278	130.0	多云	假设@14:50 自动（未用传感器）
总计	2224.0（8次）	1040.0		建议进液EC：2080.0， PH：6.0

上次灌溉时长(278)与预期(228.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉158.0 ml.
昨天灌溉EC（2625.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2625.0 vs 3535.0)偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	278	150.0	雾	假设@07:10 自动（未用传感器）
08:10	278	150.0	晴	假设@08:10 自动（未用传感器）
09:10	278	150.0	多云	假设@09:10 自动（未用传感器）
10:10	278	150.0	晴	假设@10:10 自动（未用传感器）
11:10	278	150.0	晴	假设@11:10 自动（未用传感器）
12:05	278	150.0	晴	假设@12:05 自动（未用传感器）
13:00	278	150.0	晴	假设@13:00 自动（未用传感器）
14:00	278	150.0	晴	假设@14:00 自动（未用传感器）
15:00	278	150.0	晴	假设@15:00 自动（未用传感器）
总计	2502.0（9次）	1350.0		建议进液EC：2080.0， PH：6.0

昨天灌溉EC（2575.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2575.0 vs 3350.0)偏高







m=705, FV0=0




m=755, FV0=0




m=800, FV0=0



m=875, FV0=0



m=930, FV0=0



m=1010, FV0=0

