




FgArea: [' 0']

NC11 P3-7

2025-05-12 (Day 44)











Warning: col ['FR'] missing




Warning: col ['setVI'] missing

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-7_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:40	241	130.0	晴	预期@07:40 未知程序（未用传感器）
08:40	241	130.0	晴	预期@08:40 未知程序（未用传感器）
10:15	241	130.0	阴	预期@10:15 未知程序（未用传感器）
11:25	241	130.0	阴	预期@11:25 未知程序（未用传感器）
12:30	241	130.0	阴	预期@12:30 未知程序（未用传感器）
13:35	241	130.0	阴	预期@13:35 未知程序（未用传感器）
14:45	241	130.0	阴	预期@14:45 未知程序（未用传感器）
总计	1687.0（7次）	910.0		建议进液EC：2080.0， PH：6.0

昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2610.0 vs 3652.0)偏高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	273	130.0	晴	假设@07:00 自动（未用传感器）
08:15	273	130.0	晴	假设@08:15 自动（未用传感器）
09:50	273	130.0	晴	假设@09:50 自动（未用传感器）
11:05	273	130.0	晴	假设@11:05 自动（未用传感器）
12:05	273	130.0	晴	假设@12:05 自动（未用传感器）
13:05	273	130.0	晴	假设@13:05 自动（未用传感器）
14:15	273	130.0	晴	假设@14:15 自动（未用传感器）
15:25	273	130.0	晴	假设@15:25 自动（未用传感器）
总计	2184.0 (8次)	1040.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(273)与预期(241.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉147.0 ml.
昨天灌溉EC（2650.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2650.0 vs 3578.0)偏高







m=705, FV0=0




m=755, FV0=0




m=810, FV0=0




m=880, FV0=0




m=945, m FV0=0




m=985, m FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	278	130.0	阴	假设@08:45 自动（未用传感器）
09:45	278	130.0	阴	假设@09:45 自动（未用传感器）
11:10	278	130.0	晴	假设@11:10 自动（未用传感器）
12:15	278	130.0	晴	假设@12:15 自动（未用传感器）
13:20	278	130.0	晴	假设@13:20 自动（未用传感器）
14:20	278	130.0	晴	假设@14:20 自动（未用传感器）
15:25	278	130.0	多云	假设@15:25 自动（未用传感器）
总计	1946.0（7次）	910.0		建议进液EC：2080.0， PH： 6.0

上次灌溉时长(278)与预期(241.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉150.0 ml.
昨天灌溉EC（2665.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2665.0 vs 3645.0)偏高







m=635, FV0=0




m=700, FV0=0




m=745, FV0=0




m=795, FV0=0




m=835, m FV0=0




m=880, m FV0=0




m=935, m FV0=0




m=1000, m FV0=0












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:35	268	130.0	阴	假设@10:35 自动（未用传感器）
总计	268.0（1次）	130.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(268)与预期(228.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉153.0 ml.
large discrepancy for begining water status (82:279.0), set to 82 ml.
昨天灌溉EC（2620.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2620.0 vs 3690.0)偏高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:30	278	130.0	多云	假设@07:30 自动（未用传感器）
08:30	278	130.0	多云	假设@08:30 自动（未用传感器）
10:15	278	130.0	多云	假设@10:15 自动（未用传感器）
11:35	278	130.0	晴	假设@11:35 自动（未用传感器）
12:40	278	130.0	晴	假设@12:40 自动（未用传感器）
13:45	278	130.0	多云	假设@13:45 自动（未用传感器）
总计	1668.0（6次）	780.0		建议进液EC：2080.0， PH：6.0

上次灌溉时长(278)与预期(228.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉158.0 ml.
昨天灌溉EC（2625.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2625.0 vs 3535.0)偏高

