




FgArea: [' 0']


NC11 P3-7


2025-06-17 (Day 80)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-7_0








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	278	150.0	2.583	晴	预期@07:30 未知程序 (未用传感器)
08:25	278	150.0	2.583	晴	预期@08:25 未知程序 (未用传感器)
09:45	278	150.0	2.583	晴	预期@09:45 未知程序 (未用传感器)
10:45	278	150.0	2.583	晴	预期@10:45 未知程序 (未用传感器)
11:40	278	150.0	2.583	晴	预期@11:40 未知程序 (未用传感器)
12:35	278	150.0	2.583	晴	预期@12:35 未知程序 (未用传感器)
13:30	278	150.0	2.583	晴	预期@13:30 未知程序 (未用传感器)
14:25	278	150.0	2.583	晴	预期@14:25 未知程序 (未用传感器)
15:25	278	150.0	2.583	晴	预期@15:25 未知程序 (未用传感器)
16:45	278	150.0	2.583	晴	预期@16:45 未知程序 (未用传感器)
总计	2780.0 (10次)	1500.0			建议进液EC: 1720, PH: 6.5












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
15:00	273	150.0	2.583	小雨	假设@15:00 自动（未用传感器）
18:00	273	150.0	2.583	阴	假设@18:00 自动（未用传感器）
总计	546.0（2次）	300.0			建议进液EC：1670， PH：6.5

施肥机灌溉量与预期值不符（176.0 ： 145.0），可能由于一阀多区不均匀
默认实际灌溉145.0 ml.

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	273	150.0	2.583	阴	假设@08:30 自动（未用传感器）
09:30	273	150.0	2.583	阴	假设@09:30 自动（未用传感器）
10:30	273	150.0	2.583	多云	假设@10:30 自动（未用传感器）
总计	819.0 (3次)	450.0			建议进液EC: 1670, PH: 6.5

施肥机灌溉量与预期值不符（176.0 : 145.0），可能由于一阀多区不均匀
默认实际灌溉145.0 ml.

























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:45	273	150.0	2.583	雾	假设@06:45 自动（未用传感器）
07:45	273	150.0	2.583	雾	假设@07:45 自动（未用传感器）
09:10	273	150.0	2.583	阴	假设@09:10 自动（未用传感器）
10:25	273	150.0	2.583	阴	假设@10:25 自动（未用传感器）
11:35	273	150.0	2.583	阴	假设@11:35 自动（未用传感器）
12:45	273	150.0	2.583	阴	假设@12:45 自动（未用传感器）
总计	1638.0（6次）	900.0			建议进液EC：1720， PH： 6.5

施肥机灌溉量与预期值不符（176.0 ： 145.0），可能由于一阀多区不均匀
默认实际灌溉145.0 ml.










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:35	273	150.0	2.583	阴	假设@05:35 自动 (未用传感器)
06:35	273	150.0	2.583	多云	假设@06:35 自动 (未用传感器)
07:35	273	150.0	2.583	多云	假设@07:35 自动 (未用传感器)
08:35	273	150.0	2.583	多云	假设@08:35 自动 (未用传感器)
10:10	273	150.0	2.583	阴	假设@10:10 自动 (未用传感器)
12:25	273	150.0	2.583	阴	假设@12:25 自动 (未用传感器)
13:30	273	150.0	2.583	阴	假设@13:30 自动 (未用传感器)
14:25	273	150.0	2.583	阴	假设@14:25 自动 (未用传感器)
15:20	273	150.0	2.583	阴	假设@15:20 自动 (未用传感器)
总计	2457.0 (9次)	1350.0			建议进液EC: 1720, PH: 6.5

施肥机灌溉量与预期值不符 (173.0 : 142.0)，可能由于一阀多区不均匀
默认实际灌溉142.0 ml.
large discrepancy for begining water status (401:222.0), set to 401 ml.





$m=880$, $FV0=0$



$m=920$, $FV0=0$

