




FgArea: [' 0']

NC11 P3-8

2025-05-05 (Day 37)










Warning: col ['FR'] missing




Warning: col ['setVI'] missing


The image shows a blank plot area with a white background and a black border. The x-axis and y-axis are both labeled from 0.0 to 1.0 in increments of 0.2. A warning message, 'Warning: col ['setVI'] missing', is displayed in the lower-left quadrant of the plot area.

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-8_0





FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:20	263	150.0	雨	预期@07:20 未知程序 (未用传感器)
08:05	263	150.0	雨	预期@08:05 未知程序 (未用传感器)
09:10	263	150.0	雨	预期@09:10 未知程序 (未用传感器)
10:10	263	150.0	雨	预期@10:10 未知程序 (未用传感器)
11:00	263	150.0	雨	预期@11:00 未知程序 (未用传感器)
11:45	263	150.0	雨	预期@11:45 未知程序 (未用传感器)
12:30	263	150.0	雨	预期@12:30 未知程序 (未用传感器)
13:15	263	150.0	雨	预期@13:15 未知程序 (未用传感器)
14:00	263	150.0	雨	预期@14:00 未知程序 (未用传感器)
14:50	263	150.0	雨	预期@14:50 未知程序 (未用传感器)
15:50	263	150.0	雨	预期@15:50 未知程序 (未用传感器)
总计	2893.0 (11次)	1650.0		建议进液EC: 2080.0, PH: 5.8


昨天灌溉EC (2610.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2610.0 vs 3860.0) 偏高














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:55	234	150.0	多云	假设@07:55 自动（未用传感器）
08:40	234	150.0	多云	假设@08:40 自动（未用传感器）
09:35	234	150.0	多云	假设@09:35 自动（未用传感器）
10:20	234	150.0	多云	假设@10:20 自动（未用传感器）
11:05	234	150.0	晴	假设@11:05 自动（未用传感器）
11:50	234	150.0	晴	假设@11:50 自动（未用传感器）
12:35	234	150.0	多云	假设@12:35 自动（未用传感器）
13:15	234	150.0	多云	假设@13:15 自动（未用传感器）
14:05	234	150.0	多云	假设@14:05 自动（未用传感器）
15:05	234	150.0	阴	假设@15:05 自动（未用传感器）
16:35	234	150.0	阴	假设@16:35 自动（未用传感器）
总计	2574.0（11次）	1650.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(234)与预期(259.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉136.0 ml.
昨天灌溉EC（2590.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2590.0 vs 3750.0)偏高












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:10	234	150.0	晴	假设@08:10 自动 (未用传感器)
09:00	234	150.0	晴	假设@09:00 自动 (未用传感器)
09:50	234	150.0	晴	假设@09:50 自动 (未用传感器)
10:35	234	150.0	晴	假设@10:35 自动 (未用传感器)
11:20	234	150.0	晴	假设@11:20 自动 (未用传感器)
12:05	234	150.0	晴	假设@12:05 自动 (未用传感器)
12:50	234	150.0	晴	假设@12:50 自动 (未用传感器)
13:50	234	150.0	晴	假设@13:50 自动 (未用传感器)
15:10	234	150.0	晴	假设@15:10 自动 (未用传感器)
16:45	234	150.0	晴	假设@16:45 自动 (未用传感器)
总计	2340.0 (10次)	1500.0		建议进液EC: 2080.0, PH: 6.0

昨天灌溉EC (2595.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2595.0 vs 4570.0) 过高







$m=750$, $FV0=0$




$m=805$, $FV0=0$




$m=875$, $FV0=0$




$m=1000$, $FV0=0$
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:25	234	150.0	阴	假设@09:25 自动（未用传感器）
10:25	234	150.0	阴	假设@10:25 自动（未用传感器）
11:25	234	150.0	阴	假设@11:25 自动（未用传感器）
12:50	234	150.0	阴	假设@12:50 自动（未用传感器）
14:40	234	150.0	阴	假设@14:40 自动（未用传感器）
总计	1170.0 (5次)	750.0		建议进液EC: 2080.0, PH: 5.8

昨天灌溉EC（2745.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2745.0 vs 4665.0) 过高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:10	234	150.0	多云	假设@08:10 自动（未用传感器）
09:00	234	150.0	多云	假设@09:00 自动（未用传感器）
09:50	234	150.0	多云	假设@09:50 自动（未用传感器）
10:45	234	150.0	多云	假设@10:45 自动（未用传感器）
11:35	234	150.0	晴	假设@11:35 自动（未用传感器）
12:25	234	150.0	晴	假设@12:25 自动（未用传感器）
13:15	234	150.0	晴	假设@13:15 自动（未用传感器）
14:15	234	150.0	晴	假设@14:15 自动（未用传感器）
15:20	234	150.0	晴	假设@15:20 自动（未用传感器）
总计	2106.0（9次）	1350.0		建议进液EC: 2080.0, PH: 5.6

上次灌溉时长(300)与预期(234.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉192.0 ml.
昨天灌溉EC（2870.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2870.0 vs 3850.0)偏高







m=820, FV0=0



m=915, FV0=0



m=1055, FV0=0



m=1060, FV0=0

