




FgArea: [' 0']
NC11 P3-8
2025-05-07 (Day 39)










Warning: col ['FR'] missing




Warning: col ['setVI'] missing


The image shows a blank plot area with a white background and a black border. The x-axis and y-axis are both labeled from 0.0 to 1.0 in increments of 0.2. A warning message, 'Warning: col ['setVI'] missing', is displayed in the lower-left quadrant of the plot area.

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'EC0:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot for P3-8_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	259	150.0	晴	预期@07:10 未知程序（未用传感器）
08:05	259	150.0	晴	预期@08:05 未知程序（未用传感器）
09:30	259	150.0	晴	预期@09:30 未知程序（未用传感器）
10:35	259	150.0	晴	预期@10:35 未知程序（未用传感器）
11:30	259	150.0	晴	预期@11:30 未知程序（未用传感器）
12:25	259	150.0	晴	预期@12:25 未知程序（未用传感器）
13:20	259	150.0	晴	预期@13:20 未知程序（未用传感器）
14:20	259	150.0	晴	预期@14:20 未知程序（未用传感器）
15:30	259	150.0	晴	预期@15:30 未知程序（未用传感器）
总计	2331.0（9次）	1350.0		建议进液EC：2080.0， PH：6.0


昨天灌溉EC（2575.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2575.0 vs 3680.0)偏高




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:15	278	150.0	晴	假设@08:15 自动（未用传感器）
09:05	278	150.0	晴	假设@09:05 自动（未用传感器）
10:00	278	150.0	阴	假设@10:00 自动（未用传感器）
10:55	278	150.0	阴	假设@10:55 自动（未用传感器）
11:50	278	150.0	晴	假设@11:50 自动（未用传感器）
12:40	278	150.0	晴	假设@12:40 自动（未用传感器）
13:40	278	150.0	晴	假设@13:40 自动（未用传感器）
14:50	278	150.0	多云	假设@14:50 自动（未用传感器）
16:10	278	150.0	多云	假设@16:10 自动（未用传感器）
总计	2502.0 (9次)	1350.0		建议进液EC: 2080.0, PH: 5.8

昨天灌溉EC（2565.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2565.0 vs 3795.0)偏高







m=690, FV0=0




m=735, FV0=0




m=795, FV0=0




m=845, FV0=0




m=915, FV0=0




m=995, FV0=0












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
13:05	278	150.0	阴	假设@13:05 自动（未用传感器）
总计	278.0（1次）	150.0		建议进液EC：2080.0， PH： 5.8

昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2610.0 vs 3860.0)偏高




















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:30	234	150.0	多云	假设@08:30 自动（未用传感器）
09:30	234	150.0	多云	假设@09:30 自动（未用传感器）
10:30	234	150.0	多云	假设@10:30 自动（未用传感器）
11:30	234	150.0	晴	假设@11:30 自动（未用传感器）
12:30	234	150.0	多云	假设@12:30 自动（未用传感器）
13:30	234	150.0	多云	假设@13:30 自动（未用传感器）
14:30	234	150.0	多云	假设@14:30 自动（未用传感器）
总计	1638.0（7次）	1050.0		建议进液EC：2080.0， PH： 6.0

上次灌溉时长(234)与预期(259.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉136.0 ml.
昨天灌溉EC（2590.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2590.0 vs 3750.0)偏高












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:40	234	150.0	晴	假设@08:40 自动（未用传感器）
09:40	234	150.0	晴	假设@09:40 自动（未用传感器）
10:40	234	150.0	晴	假设@10:40 自动（未用传感器）
11:40	234	150.0	晴	假设@11:40 自动（未用传感器）
12:40	234	150.0	晴	假设@12:40 自动（未用传感器）
14:00	234	150.0	晴	假设@14:00 自动（未用传感器）
16:00	234	150.0	晴	假设@16:00 自动（未用传感器）
总计	1638.0（7次）	1050.0		建议进液EC：2080.0， PH：6.0

昨天灌溉EC（2595.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2595.0 vs 4570.0) 过高







$m=750, FV0=0$



$m=805, FV0=0$



$m=875, FV0=0$



$m=1000, FV0=0$

