




FgArea: [' 0']


NC11 P3-8

2025-05-11 (Day 43)












Warning: col ['FR'] missing




Warning: col ['setVI'] missing

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'EC0:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-8_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:20	268	150.0	晴	预期@07:20 未知程序 (未用传感器)
08:05	268	150.0	晴	预期@08:05 未知程序 (未用传感器)
08:55	268	150.0	晴	预期@08:55 未知程序 (未用传感器)
09:55	268	150.0	晴	预期@09:55 未知程序 (未用传感器)
10:45	268	150.0	晴	预期@10:45 未知程序 (未用传感器)
11:30	268	150.0	晴	预期@11:30 未知程序 (未用传感器)
12:10	268	150.0	晴	预期@12:10 未知程序 (未用传感器)
12:50	268	150.0	晴	预期@12:50 未知程序 (未用传感器)
13:30	268	150.0	晴	预期@13:30 未知程序 (未用传感器)
14:15	268	150.0	晴	预期@14:15 未知程序 (未用传感器)
15:00	268	150.0	晴	预期@15:00 未知程序 (未用传感器)
15:55	268	150.0	晴	预期@15:55 未知程序 (未用传感器)
总计	3216.0 (12次)	1800.0		建议进液EC: 2080.0, PH: 6.0


昨天灌溉EC (2650.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2650.0 vs 4075.0) 偏高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:10	278	150.0	阴	假设@08:10 自动 (未用传感器)
08:50	278	150.0	阴	假设@08:50 自动 (未用传感器)
09:35	278	150.0	阴	假设@09:35 自动 (未用传感器)
10:20	278	150.0	多云	假设@10:20 自动 (未用传感器)
11:05	278	150.0	晴	假设@11:05 自动 (未用传感器)
11:45	278	150.0	晴	假设@11:45 自动 (未用传感器)
12:20	278	150.0	晴	假设@12:20 自动 (未用传感器)
12:55	278	150.0	晴	假设@12:55 自动 (未用传感器)
13:35	278	150.0	晴	假设@13:35 自动 (未用传感器)
14:15	278	150.0	晴	假设@14:15 自动 (未用传感器)
14:55	278	150.0	晴	假设@14:55 自动 (未用传感器)
15:35	278	150.0	多云	假设@15:35 自动 (未用传感器)
16:30	278	150.0	晴	假设@16:30 自动 (未用传感器)
总计	3614.0 (13次)	1950.0		建议进液EC: 2080.0, PH: 6.0

昨天灌溉EC (2665.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2665.0 vs 4170.0) 偏高







m=635, FV0=0




m=700, FV0=0




m=745, FV0=0




m=795, FV0=0




m=835, m FV0=0




m=880, m FV0=0




m=935, m FV0=0




m=1000, m FV0=0












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
11:50	268	150.0	小雨	假设@11:50 自动（未用传感器）
12:50	268	150.0	小雨	假设@12:50 自动（未用传感器）
总计	536.0（2次）	300.0		建议进液EC：2080.0， PH： 6.0

昨天灌溉EC（2620.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2620.0 vs 4190.0)偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:40	278	150.0	多云	假设@07:40 自动（未用传感器）
08:40	278	150.0	多云	假设@08:40 自动（未用传感器）
10:05	278	150.0	多云	假设@10:05 自动（未用传感器）
11:05	278	150.0	晴	假设@11:05 自动（未用传感器）
12:05	278	150.0	晴	假设@12:05 自动（未用传感器）
13:00	278	150.0	多云	假设@13:00 自动（未用传感器）
13:55	278	150.0	多云	假设@13:55 自动（未用传感器）
14:50	278	150.0	多云	假设@14:50 自动（未用传感器）
总计	2224.0 (8次)	1200.0		建议进液EC: 2080.0, PH: 6.0

昨天灌溉EC（2625.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2625.0 vs 3870.0)偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:25	278	150.0	雾	假设@07:25 自动 (未用传感器)
08:15	278	150.0	晴	假设@08:15 自动 (未用传感器)
09:10	278	150.0	多云	假设@09:10 自动 (未用传感器)
10:00	278	150.0	晴	假设@10:00 自动 (未用传感器)
10:45	278	150.0	晴	假设@10:45 自动 (未用传感器)
11:30	278	150.0	晴	假设@11:30 自动 (未用传感器)
12:15	278	150.0	晴	假设@12:15 自动 (未用传感器)
13:00	278	150.0	晴	假设@13:00 自动 (未用传感器)
14:00	278	150.0	晴	假设@14:00 自动 (未用传感器)
15:00	278	150.0	晴	假设@15:00 自动 (未用传感器)
16:15	278	150.0	晴	假设@16:15 自动 (未用传感器)
总计	3058.0 (11次)	1650.0		建议进液EC: 2080.0, PH: 6.0

昨天灌溉EC (2575.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2575.0 vs 3680.0) 偏高







m=705, FV0=0




m=755, FV0=0




m=800, FV0=0



m=875, FV0=0



m=930, FV0=0



m=1010, FV0=0

