




FgArea: [' 0']


NC11 P3-8


2025-06-03 (Day 66)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'EC0:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-8_0





















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	268	150.0	2.583	晴	预期@08:35 未知程序 (未用传感器)
09:30	268	150.0	2.583	晴	预期@09:30 未知程序 (未用传感器)
10:30	268	150.0	2.583	晴	预期@10:30 未知程序 (未用传感器)
11:25	268	150.0	2.583	晴	预期@11:25 未知程序 (未用传感器)
12:15	268	150.0	2.583	晴	预期@12:15 未知程序 (未用传感器)
13:05	268	150.0	2.583	晴	预期@13:05 未知程序 (未用传感器)
13:55	268	150.0	2.583	晴	预期@13:55 未知程序 (未用传感器)
14:50	268	150.0	2.583	晴	预期@14:50 未知程序 (未用传感器)
15:55	268	150.0	2.583	晴	预期@15:55 未知程序 (未用传感器)
总计	2412.0 (9次)	1350.0			建议进液EC: 2080.0, PH: 6.0


昨天进回液EC数据缺失.
进回液EC差(1860.0 vs 4602.0) 过高
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	273	150.0	2.583	晴	假设@08:00 自动（未用传感器）
08:40	273	150.0	2.583	晴	假设@08:40 自动（未用传感器）
09:20	273	150.0	2.583	晴	假设@09:20 自动（未用传感器）
10:00	273	150.0	2.583	晴	假设@10:00 自动（未用传感器）
10:40	273	150.0	2.583	晴	假设@10:40 自动（未用传感器）
11:25	273	150.0	2.583	晴	假设@11:25 自动（未用传感器）
12:20	273	150.0	2.583	晴	假设@12:20 自动（未用传感器）
13:00	273	150.0	2.583	多云	假设@13:00 自动（未用传感器）
13:40	273	150.0	2.583	多云	假设@13:40 自动（未用传感器）
14:20	273	150.0	2.583	多云	假设@14:20 自动（未用传感器）
15:05	273	150.0	2.583	多云	假设@15:05 自动（未用传感器）
15:55	273	150.0	2.583	多云	假设@15:55 自动（未用传感器）
总计	3276.0（12次）	1800.0			建议进液EC：2080.0， PH：6.0

上次灌溉时长(600)与预期(273.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉330.0 ml.
进回液EC差(1907.0 vs 4945.0)过高







m=780, FV0=0






m=840, FV0=0




m=905, FV0=0




m=960, FV0=0


m=1100_m FV0=0m=1165_m FV0=0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:50	273	150.0	2.583	多云	假设@09:50 自动 (未用传感器)
11:05	273	150.0	2.583	阴	假设@11:05 自动 (未用传感器)
12:05	273	150.0	2.583	阴	假设@12:05 自动 (未用传感器)
13:05	273	150.0	2.583	阴	假设@13:05 自动 (未用传感器)
14:15	273	150.0	2.583	阴	假设@14:15 自动 (未用传感器)
总计	1365.0 (5次)	750.0			建议进液EC: 2080.0, PH: 6.0

回液EC 5432.0 太高，建议用低EC肥液冲洗基质
进回液EC差(2007.0 vs 5432.0) 过高










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:35	278	150.0	2.583	阴	假设@06:35 自动 (未用传感器)
07:35	278	150.0	2.583	阴	假设@07:35 自动 (未用传感器)
08:35	278	150.0	2.583	阴	假设@08:35 自动 (未用传感器)
09:45	278	150.0	2.583	阴	假设@09:45 自动 (未用传感器)
10:55	278	150.0	2.583	阴	假设@10:55 自动 (未用传感器)
12:30	278	150.0	2.583	阴	假设@12:30 自动 (未用传感器)
总计	1668.0 (6次)	900.0			建议进液EC: 2080.0, PH: 6.0

回液EC 5737.0 太高，建议用低EC肥液冲洗基质
进回液EC差 (2087.0 vs 5737.0) 过高







m=825, FV0=0




m=945, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:35	278	150.0	2.583	阴	假设@06:35 自动（未用传感器）
07:30	278	150.0	2.583	阴	假设@07:30 自动（未用传感器）
08:35	278	150.0	2.583	阴	假设@08:35 自动（未用传感器）
10:00	278	150.0	2.583	阴	假设@10:00 自动（未用传感器）
11:00	278	150.0	2.583	阴	假设@11:00 自动（未用传感器）
11:45	278	150.0	2.583	阴	假设@11:45 自动（未用传感器）
12:30	278	150.0	2.583	阴	假设@12:30 自动（未用传感器）
13:15	278	150.0	2.583	阴	假设@13:15 自动（未用传感器）
14:15	278	150.0	2.583	阴	假设@14:15 自动（未用传感器）
15:40	278	150.0	2.583	阴	假设@15:40 自动（未用传感器）
17:25	278	150.0	2.583	阴	假设@17:25 自动（未用传感器）
总计	3058.0（11次）	1650.0			建议进液EC: 2080.0, PH: 6.0

回液EC 5847.0 太高，建议用低EC肥液冲洗基质
进回液EC差(2220.0 vs 5847.0) 过高







m=605, FV0=0




m=655, FV0=0




m=700, FV0=0




m=735, FV0=0




m=770, FV0=0



m=810, FV0=0



m=850, FV0=0



m=920, FV0=0

