




FgArea: [' 0']


NC11 P3-8


2025-06-16 (Day 79)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]



Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Warning: col ['ECC', 'FVIEC'] is missing


Plot [['FV0EC:r-o', 'EC0:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-8_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	273	150.0	2.583	小雨	预期@07:55 未知程序 (未用传感器)
08:50	273	150.0	2.583	小雨	预期@08:50 未知程序 (未用传感器)
09:55	273	150.0	2.583	小雨	预期@09:55 未知程序 (未用传感器)
10:50	273	150.0	2.583	小雨	预期@10:50 未知程序 (未用传感器)
11:40	273	150.0	2.583	小雨	预期@11:40 未知程序 (未用传感器)
12:30	273	150.0	2.583	小雨	预期@12:30 未知程序 (未用传感器)
13:20	273	150.0	2.583	小雨	预期@13:20 未知程序 (未用传感器)
14:10	273	150.0	2.583	小雨	预期@14:10 未知程序 (未用传感器)
14:55	273	150.0	2.583	小雨	预期@14:55 未知程序 (未用传感器)
15:50	273	150.0	2.583	小雨	预期@15:50 未知程序 (未用传感器)
总计	2730.0 (10次)	1500.0			建议进液EC: 2200, PH: 6.0


模型建议今天进液PH 6.005
进回液EC差(1687.0 vs 3633.0) 过高
模型建议今天进液EC 2200.0












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:00	273	150.0	2.583	阴	假设@09:00 自动（未用传感器）
10:00	273	150.0	2.583	多云	假设@10:00 自动（未用传感器）
总计	546.0 (2次)	300.0			建议进液EC: 2200, PH: 6.0

模型建议今天进液PH 6.005
进回液EC差(1703.0 vs 4277.0) 过高
模型建议今天进液EC 2200.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	273	150.0	2.583	雾	假设@07:35 自动(未用传感器)
08:35	273	150.0	2.583	阴	假设@08:35 自动(未用传感器)
09:35	273	150.0	2.583	阴	假设@09:35 自动(未用传感器)
10:35	273	150.0	2.583	阴	假设@10:35 自动(未用传感器)
11:35	273	150.0	2.583	阴	假设@11:35 自动(未用传感器)
12:35	273	150.0	2.583	阴	假设@12:35 自动(未用传感器)
13:35	273	150.0	2.583	阴	假设@13:35 自动(未用传感器)
总计	1911.0 (7次)	1050.0			建议进液EC: 2200, PH: 6.0

模型建议今天进液PH 6.005
进回液EC差(1727.0 vs 4733.0) 过高
模型建议今天进液EC 2200.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:50	273	150.0	2.583	阴	假设@05:50 自动 (未用传感器)
06:50	273	150.0	2.583	多云	假设@06:50 自动 (未用传感器)
07:50	273	150.0	2.583	多云	假设@07:50 自动 (未用传感器)
08:50	273	150.0	2.583	多云	假设@08:50 自动 (未用传感器)
09:50	273	150.0	2.583	多云	假设@09:50 自动 (未用传感器)
10:45	273	150.0	2.583	阴	假设@10:45 自动 (未用传感器)
12:50	273	150.0	2.583	阴	假设@12:50 自动 (未用传感器)
13:40	273	150.0	2.583	阴	假设@13:40 自动 (未用传感器)
14:25	273	150.0	2.583	阴	假设@14:25 自动 (未用传感器)
15:10	273	150.0	2.583	阴	假设@15:10 自动 (未用传感器)
总计	2730.0 (10次)	1500.0			建议进液EC: 2200, PH: 6.0

施肥机灌溉量与预期值不符 (173.0 : 142.0)，可能由于一阀多区不均匀
默认实际灌溉142.0 ml.
unusual large postFgEt from yesterday (463), set to 450.0 ml.
模型建议今天进液PH 6.005
进回液EC差(1760.0 vs 5107.0) 过高
模型建议今天进液EC 2200.0







$m=880$, $FV0=0$



$m=920$, $FV0=0$





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:25	283	150.0	2.583	阴	假设@06:25 自动 (未用传感器)
07:25	283	150.0	2.583	阴	假设@07:25 自动 (未用传感器)
08:40	283	150.0	2.583	阴	假设@08:40 自动 (未用传感器)
12:30	283	150.0	2.583	大雨	假设@12:30 自动 (未用传感器)
13:30	283	150.0	2.583	阴	假设@13:30 自动 (未用传感器)
14:10	283	150.0	2.583	阴	假设@14:10 自动 (未用传感器)
14:50	283	150.0	2.583	阴	假设@14:50 自动 (未用传感器)
15:35	283	150.0	2.583	多云	假设@15:35 自动 (未用传感器)
16:40	283	150.0	2.583	多云	待执行@16:40 自动 (未用传感器)
总计	2547.0 (9次)	1350.0			建议进液EC: 2200, PH: 6.0

施肥机灌溉量与预期值不符 (182.0 : 150.0)，可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
模型建议今天进液PH 6.005
进回液EC差(1803.0 vs 5283.0) 过高
模型建议今天进液EC 2200.0

