




FgArea: [' 0']


NC11 P3-9


2025-04-29 (Day 27)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'EC0:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot for P3-9_0





FgDaily








P3-9_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:25	152	70.0	晴	预期@06:25 未知程序（未用传感器）
07:25	152	70.0	晴	预期@07:25 未知程序（未用传感器）
08:25	152	70.0	晴	预期@08:25 未知程序（未用传感器）
09:25	152	70.0	晴	预期@09:25 未知程序（未用传感器）
11:00	152	70.0	晴	预期@11:00 未知程序（未用传感器）
12:20	152	70.0	晴	预期@12:20 未知程序（未用传感器）
13:40	152	70.0	晴	预期@13:40 未知程序（未用传感器）
15:15	152	70.0	晴	预期@15:15 未知程序（未用传感器）
总计	1216.0（8次）	560.0		建议进液EC：2080.0， PH：6.0


昨天进回液EC数据缺失。
昨天灌溉EC（2640.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2640.0 vs 3490.0)偏高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策



















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	190	70.0	晴	假设@07:10 手动（未用传感器）
08:10	190	70.0	晴	假设@08:10 手动（未用传感器）
09:10	190	70.0	晴	假设@09:10 手动（未用传感器）
10:30	190	70.0	晴	假设@10:30 手动（未用传感器）
11:50	190	70.0	晴	假设@11:50 手动（未用传感器）
13:05	190	70.0	晴	假设@13:05 手动（未用传感器）
14:20	190	70.0	晴	假设@14:20 手动（未用传感器）
15:50	190	70.0	晴	假设@15:50 手动（未用传感器）
总计	1520.0（8次）	560.0		建议进液EC：2080.0， PH： 6.0

施肥机灌溉量与预期值不符（124.0 ： 87.0），可能由于一阀多区不均匀
上次灌溉时长(190)与预期(152.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉87.0 ml.
large discrepancy for begining water status (183:33.0), set to 153.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2620.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2620.0 vs 3490.0)偏高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策









时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
02:20	190	70.0	晴	假设@02:20 手动（未用传感器）
03:20	190	70.0	晴	假设@03:20 手动（未用传感器）
06:40	190	70.0	晴	假设@06:40 手动（未用传感器）
08:45	190	70.0	晴	假设@08:45 手动（未用传感器）
10:25	190	70.0	晴	假设@10:25 手动（未用传感器）
11:40	190	70.0	晴	假设@11:40 手动（未用传感器）
12:45	190	70.0	晴	假设@12:45 手动（未用传感器）
14:00	190	70.0	晴	假设@14:00 手动（未用传感器）
15:15	190	70.0	晴	假设@15:15 手动（未用传感器）
总计	1710.0（9次）	630.0		建议进液EC：2080.0， PH：6.0


施肥机灌溉量与预期值不符（124.0：87.0），可能由于一阀多区不均匀
上次灌溉时长(190)与预期(152.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉87.0 ml.
unusual large postFgEt from yesterday (226), set to 210.0 ml.
昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查




m=515, FV0=0




m=605, FV0=0




m=665, FV0=0




m=785, FV0=0




m=845, FV0=0




m




m=605, FV0=0




m=665, FV0=0





m=725, FV0=0




m=845, FV0=0




m=845, FV0=0




m=725, FV0=0



m=515, FV0=0




m=785, FV0=0




m


m




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	190	80.0	晴	假设@07:00 手动（未用传感器）
08:00	190	80.0	多云	假设@08:00 手动（未用传感器）
09:00	190	80.0	阴	假设@09:00 手动（未用传感器）
10:00	190	80.0	阴	假设@10:00 手动（未用传感器）
11:15	190	80.0	晴	假设@11:15 手动（未用传感器）
12:30	190	80.0	晴	假设@12:30 手动（未用传感器）
13:45	190	80.0	晴	假设@13:45 手动（未用传感器）
15:10	190	80.0	晴	假设@15:10 手动（未用传感器）
总计	1520.0（8次）	640.0		建议进液EC：2080.0， PH：6.0

施肥机灌溉量与预期值不符（124.0 : 86.0），可能由于一阀多区不均匀
默认实际灌溉86.0 ml.
昨天灌溉EC（2600.0）与设定EC（2000.0）偏差较大，请检查







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	240	90.0	晴	假设@07:10 手动（未用传感器）
08:10	240	90.0	晴	假设@08:10 手动（未用传感器）
09:10	240	90.0	晴	假设@09:10 手动（未用传感器）
10:10	240	90.0	晴	假设@10:10 手动（未用传感器）
11:40	240	90.0	晴	假设@11:40 手动（未用传感器）
13:20	240	90.0	晴	假设@13:20 手动（未用传感器）
14:40	240	90.0	晴	假设@14:40 手动（未用传感器）
总计	1680.0（7次）	630.0		建议进液EC：2080.0， PH： 6.0

施肥机灌溉量与预期值不符（156.0：106.0），可能由于一阀多区不均匀
上次灌溉时长(240)与预期(205.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉106.0 ml.
昨天灌溉EC（2580.0）与设定EC（2000.0）偏差较大，请检查

