




FgArea: [' 0']


NC11 P3-9


2025-05-13 (Day 41)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-9_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	283	150.0	晴	预期@07:10 未知程序（未用传感器）
08:05	283	150.0	晴	预期@08:05 未知程序（未用传感器）
09:05	283	150.0	晴	预期@09:05 未知程序（未用传感器）
10:20	283	150.0	晴	预期@10:20 未知程序（未用传感器）
11:20	283	150.0	晴	预期@11:20 未知程序（未用传感器）
12:20	283	150.0	晴	预期@12:20 未知程序（未用传感器）
13:20	283	150.0	晴	预期@13:20 未知程序（未用传感器）
14:20	283	150.0	晴	预期@14:20 未知程序（未用传感器）
15:30	283	150.0	晴	预期@15:30 未知程序（未用传感器）
总计	2547.0 (9次)	1350.0		建议进液EC: 2080.0, PH: 6.0


昨天灌溉EC（2635.0）与设定EC（2000.0）偏差较大，请检查







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:50	294	150.0	多云	假设@06:50 自动（未用传感器）
07:45	294	150.0	多云	假设@07:45 自动（未用传感器）
09:10	294	150.0	阴	假设@09:10 自动（未用传感器）
10:35	294	150.0	阴	假设@10:35 自动（未用传感器）
11:40	294	150.0	阴	假设@11:40 自动（未用传感器）
12:30	294	150.0	阴	假设@12:30 自动（未用传感器）
13:30	294	150.0	阴	假设@13:30 自动（未用传感器）
14:25	294	150.0	阴	假设@14:25 自动（未用传感器）
15:25	294	150.0	阴	假设@15:25 自动（未用传感器）
16:55	294	150.0	阴	假设@16:55 自动（未用传感器）
总计	2940.0（10次）	1500.0		建议进液EC：2080.0， PH：6.0

施肥机灌溉量与预期值不符（191.0：147.0），可能由于一阀多区不均匀
默认实际灌溉147.0 ml.
large discrepancy for begining water status (260:90.0), set to 260 ml.
昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查







m=730, FV0=0




m=770, FV0=0




m=825, FV0=0




m=875, FV0=0




m=925, m FV0=0




m=980, m FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:45	288	150.0	晴	假设@07:45 自动（未用传感器）
08:40	288	150.0	晴	假设@08:40 自动（未用传感器）
10:00	288	150.0	晴	假设@10:00 自动（未用传感器）
11:00	288	150.0	晴	假设@11:00 自动（未用传感器）
11:50	288	150.0	晴	假设@11:50 自动（未用传感器）
12:45	288	150.0	晴	假设@12:45 自动（未用传感器）
13:45	288	150.0	晴	假设@13:45 自动（未用传感器）
14:55	288	150.0	晴	假设@14:55 自动（未用传感器）
16:00	288	150.0	晴	假设@16:00 自动（未用传感器）
总计	2592.0（9次）	1350.0		建议进液EC：2080.0， PH：6.0

施肥机灌溉量与预期值不符（187.0 ： 141.0），可能由于一阀多区不均匀
默认实际灌溉141.0 ml.
昨天灌溉EC（2650.0）与设定EC（2000.0）偏差较大，请检查







m=665, FV0=0




m=720, FV0=0




m=770, FV0=0




m=820, FV0=0




m=885, m FV0=0




m=940, m FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:55	288	150.0	阴	假设@08:55 自动（未用传感器）
10:15	288	150.0	多云	假设@10:15 自动（未用传感器）
11:30	288	150.0	晴	假设@11:30 自动（未用传感器）
12:35	288	150.0	晴	假设@12:35 自动（未用传感器）
13:35	288	150.0	晴	假设@13:35 自动（未用传感器）
14:30	288	150.0	晴	假设@14:30 自动（未用传感器）
15:30	288	150.0	多云	假设@15:30 自动（未用传感器）
总计	2016.0（7次）	1050.0		建议进液EC：2080.0， PH：6.0

施肥机灌溉量与预期值不符（187.0 ： 138.0），可能由于一阀多区不均匀
默认实际灌溉138.0 ml.
昨天灌溉EC（2665.0）与设定EC（2000.0）偏差较大，请检查







$m=750$, $FV0=0$




$m=805$, $FV0=0$




$m=870$, $FV0=0$



$m=940$, $FV0=0$





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
11:30	288	150.0	小雨	假设@11:30 自动（未用传感器）
总计	288.0（1次）	150.0		建议进液EC：2080.0， PH： 6.0

施肥机灌溉量与预期值不符（187.0 ： 138.0），可能由于一阀多区不均匀
默认实际灌溉138.0 ml.
昨天灌溉EC（2620.0）与设定EC（2000.0）偏差较大，请检查

