















FgArea: [' 0']

NC11 P3


2025-04-08 (Day 3)














Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]




Plot [' ECopt']






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3_0





FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:40	200	100.0	晴	预期@09:40 (未用传感器)
12:20	200	100.0	晴	预期@12:20 (未用传感器)
总计	400.0 (2次)	200.0		建议进液EC: 1840.0, PH: 6.5



时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:25	200	100.0	多云	假设@09:25（未用传感器）
11:25	200	100.0	晴	假设@11:25（未用传感器）
总计	400.0（2次）	200.0		建议进液EC: 1889.0, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:40	200	100.0	晴	假设@08:40（未用传感器）
10:45	200	100.0	晴	假设@10:45（未用传感器）
13:15	200	100.0	晴	假设@13:15（未用传感器）
总计	600.0（3次）	300.0		建议进液EC: 2130.0, PH: 6.5

large discrepancy for begining water status (39:264.0), set to 84.0 ml.
回液EC (2152.0 vs 2185) 偏低

