











FgArea: [' 0']

NC11 P4


2025-05-16 (Day 42)















Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP4_0








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	259	150.0	小雨	预期@08:05 未知程序 (未用传感器)
09:00	259	150.0	小雨	预期@09:00 未知程序 (未用传感器)
09:55	259	150.0	小雨	预期@09:55 未知程序 (未用传感器)
10:50	259	150.0	小雨	预期@10:50 未知程序 (未用传感器)
11:50	259	150.0	小雨	预期@11:50 未知程序 (未用传感器)
12:45	259	150.0	小雨	预期@12:45 未知程序 (未用传感器)
13:40	259	150.0	小雨	预期@13:40 未知程序 (未用传感器)
14:40	259	150.0	小雨	预期@14:40 未知程序 (未用传感器)
15:55	259	150.0	小雨	预期@15:55 未知程序 (未用传感器)
总计	2331.0 (9次)	1350.0		建议进液EC: 2080.0, PH: 6.4




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:20	263	150.0	多云	假设@07:20 自动 (未用传感器)
08:15	263	150.0	多云	假设@08:15 自动 (未用传感器)
09:10	263	150.0	阴	假设@09:10 自动 (未用传感器)
10:10	263	150.0	晴	假设@10:10 自动 (未用传感器)
11:00	263	150.0	晴	假设@11:00 自动 (未用传感器)
12:05	263	150.0	晴	假设@12:05 自动 (未用传感器)
12:55	263	150.0	晴	假设@12:55 自动 (未用传感器)
13:45	263	150.0	晴	假设@13:45 自动 (未用传感器)
14:35	263	150.0	晴	假设@14:35 自动 (未用传感器)
15:35	263	150.0	晴	假设@15:35 自动 (未用传感器)
总计	2630.0 (10次)	1500.0		建议进液EC: 2080.0, PH: 6.4







m=690, FV0=0




m=765, FV0=0




m=815, FV0=0




m=850, FV0=0




m=915, FV0=0
















m=950, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
12:30	263	150.0	阴	假设@12:30 自动 (未用传感器)
13:15	263	150.0	多云	假设@13:15 自动 (未用传感器)
14:00	263	150.0	多云	假设@14:00 自动 (未用传感器)
14:45	263	150.0	多云	假设@14:45 自动 (未用传感器)
15:25	263	150.0	多云	假设@15:25 自动 (未用传感器)
总计	1315.0 (5次)	750.0		建议进液EC: 2080.0, PH: 6.4






















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	263	150.0	晴	假设@07:10 自动 (未用传感器)
08:05	263	150.0	晴	假设@08:05 自动 (未用传感器)
09:00	263	150.0	晴	假设@09:00 自动 (未用传感器)
10:00	263	150.0	晴	假设@10:00 自动 (未用传感器)
10:55	263	150.0	晴	假设@10:55 自动 (未用传感器)
11:50	263	150.0	晴	假设@11:50 自动 (未用传感器)
12:40	263	150.0	晴	假设@12:40 自动 (未用传感器)
13:30	263	150.0	晴	假设@13:30 自动 (未用传感器)
14:20	263	150.0	晴	假设@14:20 自动 (未用传感器)
15:25	263	150.0	多云	假设@15:25 自动 (未用传感器)
总计	2630.0 (10次)	1500.0		建议进液EC: 2080.0, PH: 6.4







m=675, FV0=0




m=720, FV0=0




m=765, FV0=0




m=815, FV0=0




m=870, FV0=0





m=940, FV0=0






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:20	263	150.0	多云	假设@07:20 自动 (未用传感器)
08:35	263	150.0	多云	假设@08:35 自动 (未用传感器)
09:55	263	150.0	阴	假设@09:55 自动 (未用传感器)
11:15	263	150.0	阴	假设@11:15 自动 (未用传感器)
12:10	263	150.0	阴	假设@12:10 自动 (未用传感器)
13:15	263	150.0	阴	假设@13:15 自动 (未用传感器)
14:15	263	150.0	阴	假设@14:15 自动 (未用传感器)
15:30	263	150.0	阴	假设@15:30 自动 (未用传感器)
总计	2104.0 (8次)	1200.0		建议进液EC: 2080.0, PH: 6.4







m=790, FV0=0



m=845, FV0=0



m=905, FV0=0



m=995, FV0=0

