













FgArea: [' 0']


NC11 P5

2025-05-26 (Day 52)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt ']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcI', 'optETcI'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP5_0








FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	278	150.0	晴	预期@08:05 未知程序 (未用传感器)
08:35	278	150.0	晴	预期@08:35 未知程序 (未用传感器)
09:05	278	150.0	晴	预期@09:05 未知程序 (未用传感器)
09:35	278	150.0	晴	预期@09:35 未知程序 (未用传感器)
10:05	278	150.0	晴	预期@10:05 未知程序 (未用传感器)
10:35	278	150.0	晴	预期@10:35 未知程序 (未用传感器)
11:05	278	150.0	晴	预期@11:05 未知程序 (未用传感器)
11:35	278	150.0	晴	预期@11:35 未知程序 (未用传感器)
12:05	278	150.0	晴	预期@12:05 未知程序 (未用传感器)
12:35	278	150.0	晴	预期@12:35 未知程序 (未用传感器)
13:05	278	150.0	晴	预期@13:05 未知程序 (未用传感器)
13:35	278	150.0	晴	预期@13:35 未知程序 (未用传感器)
14:05	278	150.0	晴	预期@14:05 未知程序 (未用传感器)
14:35	278	150.0	晴	预期@14:35 未知程序 (未用传感器)
15:05	278	150.0	晴	预期@15:05 未知程序 (未用传感器)
15:35	278	150.0	晴	预期@15:35 未知程序 (未用传感器)
16:05	278	150.0	晴	预期@16:05 未知程序 (未用传感器)
16:35	278	150.0	晴	预期@16:35 未知程序 (未用传感器)
17:05	278	150.0	晴	预期@17:05 未知程序 (未用传感器)
17:35	278	150.0	晴	预期@17:35 未知程序 (未用传感器)
18:35	278	150.0	晴	预期@18:35 未知程序 (未用传感器)
总计	5838.0 (21次)	3150.0		建议进液EC: 2080.0, PH: 6.5








时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:20	278	150.0	晴	假设@07:20 自动 (未用传感器)
07:50	278	150.0	晴	假设@07:50 自动 (未用传感器)
08:20	278	150.0	晴	假设@08:20 自动 (未用传感器)
08:50	278	150.0	晴	假设@08:50 自动 (未用传感器)
09:20	278	150.0	晴	假设@09:20 自动 (未用传感器)
09:50	278	150.0	晴	假设@09:50 自动 (未用传感器)
10:20	278	150.0	晴	假设@10:20 自动 (未用传感器)
10:50	278	150.0	晴	假设@10:50 自动 (未用传感器)
11:20	278	150.0	晴	假设@11:20 自动 (未用传感器)
11:50	278	150.0	晴	假设@11:50 自动 (未用传感器)
12:20	278	150.0	晴	假设@12:20 自动 (未用传感器)
12:50	278	150.0	晴	假设@12:50 自动 (未用传感器)
13:20	278	150.0	晴	假设@13:20 自动 (未用传感器)
13:50	278	150.0	晴	假设@13:50 自动 (未用传感器)
14:20	278	150.0	晴	假设@14:20 自动 (未用传感器)
14:50	278	150.0	晴	假设@14:50 自动 (未用传感器)
15:20	278	150.0	晴	假设@15:20 自动 (未用传感器)
15:50	278	150.0	晴	假设@15:50 自动 (未用传感器)
16:20	278	150.0	晴	假设@16:20 自动 (未用传感器)
16:50	278	150.0	晴	假设@16:50 自动 (未用传感器)
17:20	278	150.0	晴	假设@17:20 自动 (未用传感器)
17:50	278	150.0	晴	假设@17:50 自动 (未用传感器)
18:20	278	150.0	晴	假设@18:20 自动 (未用传感器)
总计	6394.0 (23次)	3450.0		建议进液EC: 2080.0, PH: 6.5






























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:25	278	150.0	晴	假设@07:25 自动 (未用传感器)
07:55	278	150.0	晴	假设@07:55 自动 (未用传感器)
08:25	278	150.0	晴	假设@08:25 自动 (未用传感器)
08:55	278	150.0	晴	假设@08:55 自动 (未用传感器)
09:25	278	150.0	晴	假设@09:25 自动 (未用传感器)
09:55	278	150.0	晴	假设@09:55 自动 (未用传感器)
10:25	278	150.0	晴	假设@10:25 自动 (未用传感器)
10:55	278	150.0	晴	假设@10:55 自动 (未用传感器)
11:25	278	150.0	晴	假设@11:25 自动 (未用传感器)
11:55	278	150.0	晴	假设@11:55 自动 (未用传感器)
12:25	278	150.0	晴	假设@12:25 自动 (未用传感器)
12:55	278	150.0	晴	假设@12:55 自动 (未用传感器)
13:25	278	150.0	晴	假设@13:25 自动 (未用传感器)
13:55	278	150.0	晴	假设@13:55 自动 (未用传感器)
14:25	278	150.0	晴	假设@14:25 自动 (未用传感器)
14:55	278	150.0	晴	假设@14:55 自动 (未用传感器)
15:25	278	150.0	晴	假设@15:25 自动 (未用传感器)
15:55	278	150.0	晴	假设@15:55 自动 (未用传感器)
16:25	278	150.0	晴	假设@16:25 自动 (未用传感器)
16:55	278	150.0	晴	假设@16:55 自动 (未用传感器)
17:25	278	150.0	晴	假设@17:25 自动 (未用传感器)
17:55	278	150.0	晴	假设@17:55 自动 (未用传感器)
总计	6116.0 (22次)	3300.0		建议进液EC: 2080.0, PH: 6.5















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:40	278	150.0	多云	假设@07:40 自动 (未用传感器)
08:10	278	150.0	多云	假设@08:10 自动 (未用传感器)
08:40	278	150.0	多云	假设@08:40 自动 (未用传感器)
09:10	278	150.0	多云	假设@09:10 自动 (未用传感器)
09:40	278	150.0	多云	假设@09:40 自动 (未用传感器)
10:10	278	150.0	多云	假设@10:10 自动 (未用传感器)
10:40	278	150.0	多云	假设@10:40 自动 (未用传感器)
11:10	278	150.0	多云	假设@11:10 自动 (未用传感器)
11:40	278	150.0	多云	假设@11:40 自动 (未用传感器)
12:10	278	150.0	多云	假设@12:10 自动 (未用传感器)
12:40	278	150.0	多云	假设@12:40 自动 (未用传感器)
13:10	278	150.0	阴	假设@13:10 自动 (未用传感器)
13:40	278	150.0	阴	假设@13:40 自动 (未用传感器)
14:10	278	150.0	阴	假设@14:10 自动 (未用传感器)
14:40	278	150.0	阴	假设@14:40 自动 (未用传感器)
15:10	278	150.0	阴	假设@15:10 自动 (未用传感器)
15:40	278	150.0	阴	假设@15:40 自动 (未用传感器)
16:10	278	150.0	阴	假设@16:10 自动 (未用传感器)
16:40	278	150.0	阴	假设@16:40 自动 (未用传感器)
17:10	278	150.0	阴	假设@17:10 自动 (未用传感器)
17:45	278	150.0	阴	假设@17:45 自动 (未用传感器)
总计	5838.0 (21次)	3150.0		建议进液EC: 2080.0, PH: 6.5









m=840, FV0=0




m=870, FV0=0




m=905, FV0=0




m=930, FV0=0




m=960, FV0=0




m=990, FV0=0




m=1020, FV0=0





m=1050, FV0=0






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	278	150.0	多云	假设@06:45 自动 (未用传感器)
07:45	278	150.0	多云	假设@07:45 自动 (未用传感器)
08:45	278	150.0	多云	假设@08:45 自动 (未用传感器)
09:45	278	150.0	阴	假设@09:45 自动 (未用传感器)
10:45	278	150.0	阴	假设@10:45 自动 (未用传感器)
11:50	278	150.0	阴	假设@11:50 自动 (未用传感器)
12:50	278	150.0	阴	假设@12:50 自动 (未用传感器)
14:00	278	150.0	阴	假设@14:00 自动 (未用传感器)
15:15	278	150.0	阴	假设@15:15 自动 (未用传感器)
总计	2502.0 (9次)	1350.0		建议进液EC: 2080.0, PH: 6.5







m=625, FV0=0



m=665, FV0=0



m=760, FV0=0



m=865, FV0=0

