













FgArea: [' 0']


NC11 P5

2025-05-28 (Day 54)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP5_0








FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:45	283	150.0	晴	预期@07:45 未知程序 (未用传感器)
08:15	283	150.0	晴	预期@08:15 未知程序 (未用传感器)
08:45	283	150.0	晴	预期@08:45 未知程序 (未用传感器)
09:15	283	150.0	晴	预期@09:15 未知程序 (未用传感器)
09:45	283	150.0	晴	预期@09:45 未知程序 (未用传感器)
10:15	283	150.0	晴	预期@10:15 未知程序 (未用传感器)
10:45	283	150.0	晴	预期@10:45 未知程序 (未用传感器)
11:15	283	150.0	晴	预期@11:15 未知程序 (未用传感器)
11:45	283	150.0	晴	预期@11:45 未知程序 (未用传感器)
12:15	283	150.0	晴	预期@12:15 未知程序 (未用传感器)
12:45	283	150.0	晴	预期@12:45 未知程序 (未用传感器)
13:15	283	150.0	晴	预期@13:15 未知程序 (未用传感器)
13:45	283	150.0	晴	预期@13:45 未知程序 (未用传感器)
14:15	283	150.0	晴	预期@14:15 未知程序 (未用传感器)
14:45	283	150.0	晴	预期@14:45 未知程序 (未用传感器)
15:15	283	150.0	晴	预期@15:15 未知程序 (未用传感器)
15:45	283	150.0	晴	预期@15:45 未知程序 (未用传感器)
16:15	283	150.0	晴	预期@16:15 未知程序 (未用传感器)
16:45	283	150.0	晴	预期@16:45 未知程序 (未用传感器)
17:15	283	150.0	晴	预期@17:15 未知程序 (未用传感器)
17:45	283	150.0	晴	预期@17:45 未知程序 (未用传感器)
总计	5943.0 (21次)	3150.0		建议进液EC: 2080.0, PH: 6.5























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	278	150.0	晴	假设@08:05 自动 (未用传感器)
08:35	278	150.0	晴	假设@08:35 自动 (未用传感器)
09:10	278	150.0	多云	假设@09:10 自动 (未用传感器)
09:40	278	150.0	多云	假设@09:40 自动 (未用传感器)
10:10	278	150.0	多云	假设@10:10 自动 (未用传感器)
10:40	278	150.0	多云	假设@10:40 自动 (未用传感器)
11:10	278	150.0	多云	假设@11:10 自动 (未用传感器)
11:40	278	150.0	多云	假设@11:40 自动 (未用传感器)
12:10	278	150.0	多云	假设@12:10 自动 (未用传感器)
12:40	278	150.0	多云	假设@12:40 自动 (未用传感器)
13:10	278	150.0	阴	假设@13:10 自动 (未用传感器)
13:40	278	150.0	阴	假设@13:40 自动 (未用传感器)
14:10	278	150.0	阴	假设@14:10 自动 (未用传感器)
14:40	278	150.0	阴	假设@14:40 自动 (未用传感器)
15:10	278	150.0	多云	假设@15:10 自动 (未用传感器)
15:40	278	150.0	多云	假设@15:40 自动 (未用传感器)
16:10	278	150.0	多云	假设@16:10 自动 (未用传感器)
16:40	278	150.0	多云	假设@16:40 自动 (未用传感器)
17:10	278	150.0	多云	假设@17:10 自动 (未用传感器)
17:45	278	150.0	多云	假设@17:45 自动 (未用传感器)
总计	5560.0 (20次)	3000.0		建议进液EC: 2080.0, PH: 6.5
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:50	278	150.0	晴	假设@07:50 自动 (未用传感器)
08:20	278	150.0	晴	假设@08:20 自动 (未用传感器)
08:55	278	150.0	晴	假设@08:55 自动 (未用传感器)
09:25	278	150.0	晴	假设@09:25 自动 (未用传感器)
09:55	278	150.0	晴	假设@09:55 自动 (未用传感器)
10:25	278	150.0	多云	假设@10:25 自动 (未用传感器)
10:55	278	150.0	多云	假设@10:55 自动 (未用传感器)
11:25	278	150.0	晴	假设@11:25 自动 (未用传感器)
11:55	278	150.0	晴	假设@11:55 自动 (未用传感器)
12:25	278	150.0	晴	假设@12:25 自动 (未用传感器)
12:55	278	150.0	晴	假设@12:55 自动 (未用传感器)
13:25	278	150.0	晴	假设@13:25 自动 (未用传感器)
13:55	278	150.0	晴	假设@13:55 自动 (未用传感器)
14:25	278	150.0	晴	假设@14:25 自动 (未用传感器)
14:55	278	150.0	晴	假设@14:55 自动 (未用传感器)
15:25	278	150.0	晴	假设@15:25 自动 (未用传感器)
15:55	278	150.0	晴	假设@15:55 自动 (未用传感器)
16:25	278	150.0	晴	假设@16:25 自动 (未用传感器)
16:55	278	150.0	晴	假设@16:55 自动 (未用传感器)
总计	5282.0 (19次)	2850.0		建议进液EC: 2080.0, PH: 6.5
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:25	278	150.0	晴	假设@07:25 自动 (未用传感器)
07:55	278	150.0	晴	假设@07:55 自动 (未用传感器)
08:35	278	150.0	晴	假设@08:35 自动 (未用传感器)
09:10	278	150.0	晴	假设@09:10 自动 (未用传感器)
09:40	278	150.0	晴	假设@09:40 自动 (未用传感器)
10:10	278	150.0	晴	假设@10:10 自动 (未用传感器)
10:40	278	150.0	晴	假设@10:40 自动 (未用传感器)
11:10	278	150.0	晴	假设@11:10 自动 (未用传感器)
11:40	278	150.0	晴	假设@11:40 自动 (未用传感器)
12:10	278	150.0	晴	假设@12:10 自动 (未用传感器)
12:40	278	150.0	晴	假设@12:40 自动 (未用传感器)
13:10	278	150.0	晴	假设@13:10 自动 (未用传感器)
13:40	278	150.0	晴	假设@13:40 自动 (未用传感器)
14:10	278	150.0	晴	假设@14:10 自动 (未用传感器)
14:40	278	150.0	晴	假设@14:40 自动 (未用传感器)
15:10	278	150.0	晴	假设@15:10 自动 (未用传感器)
15:40	278	150.0	晴	假设@15:40 自动 (未用传感器)
16:10	278	150.0	晴	假设@16:10 自动 (未用传感器)
16:40	278	150.0	晴	假设@16:40 自动 (未用传感器)
17:10	278	150.0	晴	假设@17:10 自动 (未用传感器)
总计	5560.0 (20次)	3000.0		建议进液EC: 2080.0, PH: 6.5











时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:30	278	150.0	晴	假设@07:30 自动 (未用传感器)
08:00	278	150.0	晴	假设@08:00 自动 (未用传感器)
08:30	278	150.0	晴	假设@08:30 自动 (未用传感器)
09:00	278	150.0	晴	假设@09:00 自动 (未用传感器)
09:30	278	150.0	晴	假设@09:30 自动 (未用传感器)
10:00	278	150.0	晴	假设@10:00 自动 (未用传感器)
10:30	278	150.0	晴	假设@10:30 自动 (未用传感器)
11:00	278	150.0	晴	假设@11:00 自动 (未用传感器)
11:30	278	150.0	晴	假设@11:30 自动 (未用传感器)
12:00	278	150.0	晴	假设@12:00 自动 (未用传感器)
12:30	278	150.0	晴	假设@12:30 自动 (未用传感器)
13:00	278	150.0	晴	假设@13:00 自动 (未用传感器)
13:30	278	150.0	晴	假设@13:30 自动 (未用传感器)
14:00	278	150.0	晴	假设@14:00 自动 (未用传感器)
14:30	278	150.0	晴	假设@14:30 自动 (未用传感器)
15:00	278	150.0	晴	假设@15:00 自动 (未用传感器)
15:30	278	150.0	晴	假设@15:30 自动 (未用传感器)
16:00	278	150.0	晴	假设@16:00 自动 (未用传感器)
16:30	278	150.0	晴	假设@16:30 自动 (未用传感器)
17:00	278	150.0	晴	假设@17:00 自动 (未用传感器)
总计	5560.0 (20次)	3000.0		建议进液EC: 2080.0, PH: 6.5

