













FgArea: [' 0']


NC11 P5

2025-06-01 (Day 58)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt ']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot for P5_0








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	273	150.0	5.88	阴	预期@07:40 未知程序（未用传感器）
08:40	273	150.0	5.88	阴	预期@08:40 未知程序（未用传感器）
09:40	273	150.0	5.88	阴	预期@09:40 未知程序（未用传感器）
11:05	273	150.0	5.88	阴	预期@11:05 未知程序（未用传感器）
12:30	273	150.0	5.88	阴	预期@12:30 未知程序（未用传感器）
13:55	273	150.0	5.88	阴	预期@13:55 未知程序（未用传感器）
总计	1638.0（6次）	900.0			建议进液EC：2080.0， PH：6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	278	150.0	5.88	阴	假设@07:50 自动（未用传感器）
08:50	278	150.0	5.88	阴	假设@08:50 自动（未用传感器）
09:50	278	150.0	5.88	阴	假设@09:50 自动（未用传感器）
10:50	278	150.0	5.88	阴	假设@10:50 自动（未用传感器）
17:15	278	150.0	5.88	阴	假设@17:15 自动（未用传感器）
总计	1390.0（5次）	750.0			建议进液EC：2080.0， PH：6.5

unusual large postFgEt from yesterday (681), set to 450.0 ml.
进回液EC差 (2207.0 vs 3172.0) 偏高

























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	278	150.0	5.88	阴	假设@08:00 自动（未用传感器）
09:00	278	150.0	5.88	阴	假设@09:00 自动（未用传感器）
10:35	278	150.0	5.88	阴	假设@10:35 自动（未用传感器）
11:40	278	150.0	5.88	阴	假设@11:40 自动（未用传感器）
12:40	278	150.0	5.88	阴	假设@12:40 自动（未用传感器）
13:40	278	150.0	5.88	阴	假设@13:40 自动（未用传感器）
15:20	278	150.0	5.88	阴	假设@15:20 自动（未用传感器）
总计	1946.0（7次）	1050.0			建议进液EC：2080.0， PH：6.5

上次灌溉EC（2615.0）与设定值（2080.0）偏差较大，请检查。
上次灌溉EC（2615.0）与模型建议（2080.0）偏差较大，请检查。







m=715, FV0=0




m=765, FV0=0




m=820, FV0=0





m=920, FV0=0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	283	150.0	5.88	晴	假设@08:05 自动 (未用传感器)
08:50	283	150.0	5.88	晴	假设@08:50 自动 (未用传感器)
09:35	283	150.0	5.88	多云	假设@09:35 自动 (未用传感器)
10:20	283	150.0	5.88	多云	假设@10:20 自动 (未用传感器)
11:05	283	150.0	5.88	多云	假设@11:05 自动 (未用传感器)
11:50	283	150.0	5.88	多云	假设@11:50 自动 (未用传感器)
12:35	283	150.0	5.88	多云	假设@12:35 自动 (未用传感器)
13:20	283	150.0	5.88	晴	假设@13:20 自动 (未用传感器)
14:10	283	150.0	5.88	晴	假设@14:10 自动 (未用传感器)
15:05	283	150.0	5.88	晴	假设@15:05 自动 (未用传感器)
16:15	283	150.0	5.88	多云	假设@16:15 自动 (未用传感器)
总计	3113.0 (11次)	1650.0			建议进液EC: 2080.0, PH: 6.5







m=580, FV0=0




m=630, FV0=0




m=685, FV0=0




m=740, FV0=0




m=785, FV0=0




m=825, FV0=0




m=875, FV0=0



m=940, FV0=0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	283	150.0	5.88	晴	假设@08:00 自动 (未用传感器)
08:45	283	150.0	5.88	晴	假设@08:45 自动 (未用传感器)
09:40	283	150.0	5.88	晴	假设@09:40 自动 (未用传感器)
10:25	283	150.0	5.88	晴	假设@10:25 自动 (未用传感器)
11:10	283	150.0	5.88	晴	假设@11:10 自动 (未用传感器)
11:55	283	150.0	5.88	晴	假设@11:55 自动 (未用传感器)
12:40	283	150.0	5.88	晴	假设@12:40 自动 (未用传感器)
13:25	283	150.0	5.88	晴	假设@13:25 自动 (未用传感器)
14:10	283	150.0	5.88	晴	假设@14:10 自动 (未用传感器)
15:00	283	150.0	5.88	晴	假设@15:00 自动 (未用传感器)
16:10	283	150.0	5.88	晴	假设@16:10 自动 (未用传感器)
总计	3113.0 (11次)	1650.0			建议进液EC: 2080.0, PH: 6.5

