













FgArea: [' 0']


NC11 P5

2025-06-03 (Day 60)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot for P5_0







FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	283	150.0	0.588	晴	预期@07:40 未知程序（未用传感器）
08:40	283	150.0	0.588	晴	预期@08:40 未知程序（未用传感器）
09:40	283	150.0	0.588	晴	预期@09:40 未知程序（未用传感器）
11:40	283	150.0	0.588	晴	预期@11:40 未知程序（未用传感器）
13:30	283	150.0	0.588	晴	预期@13:30 未知程序（未用传感器）
总计	1415.0（5次）	750.0			建议进液EC：2080.0， PH：6.5


昨天进回液EC数据缺失。
进回液EC差(2325.0 vs 3335.0) 偏高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	273	150.0	0.588	晴	假设@08:00 自动（未用传感器）
09:00	273	150.0	0.588	晴	假设@09:00 自动（未用传感器）
10:00	273	150.0	0.588	晴	假设@10:00 自动（未用传感器）
11:00	273	150.0	0.588	晴	假设@11:00 自动（未用传感器）
12:45	273	150.0	0.588	晴	假设@12:45 自动（未用传感器）
14:15	273	150.0	0.588	多云	假设@14:15 自动（未用传感器）
总计	1638.0（6次）	900.0			建议进液EC：2080.0， PH：6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	273	150.0	0.588	雾	假设@08:40 自动（未用传感器）
09:40	273	150.0	0.588	多云	假设@09:40 自动（未用传感器）
10:40	273	150.0	0.588	多云	假设@10:40 自动（未用传感器）
11:40	273	150.0	0.588	阴	假设@11:40 自动（未用传感器）
13:00	273	150.0	0.588	阴	假设@13:00 自动（未用传感器）
总计	1365.0（5次）	750.0			建议进液EC：2080.0， PH：6.5


unusual large postFgEt from yesterday (517), set to 450.0 ml.
进回液EC差 (2222.0 vs 3272.0) 偏高





m=520, FV0=0



m=580, FV0=0




m=640, FV0=0




m


m=520, FV0=0





m=580, FV0=0




m=580, FV0=0




m=820, FV0=0




m=640, FV0=0


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	278	150.0	0.588	阴	假设@07:20 自动（未用传感器）
08:20	278	150.0	0.588	阴	假设@08:20 自动（未用传感器）
09:20	278	150.0	0.588	阴	假设@09:20 自动（未用传感器）
10:20	278	150.0	0.588	阴	假设@10:20 自动（未用传感器）
11:20	278	150.0	0.588	阴	假设@11:20 自动（未用传感器）
13:20	278	150.0	0.588	大雨	假设@13:20 自动（未用传感器）
总计	1668.0（6次）	900.0			建议进液EC：2080.0， PH：6.5

unusual large postFgEt from yesterday (681), set to 450.0 ml.
进回液EC差 (2207.0 vs 3172.0) 偏高

























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	278	150.0	0.588	阴	假设@08:00 自动（未用传感器）
09:00	278	150.0	0.588	阴	假设@09:00 自动（未用传感器）
10:35	278	150.0	0.588	阴	假设@10:35 自动（未用传感器）
11:40	278	150.0	0.588	阴	假设@11:40 自动（未用传感器）
12:40	278	150.0	0.588	阴	假设@12:40 自动（未用传感器）
13:40	278	150.0	0.588	阴	假设@13:40 自动（未用传感器）
15:20	278	150.0	0.588	阴	假设@15:20 自动（未用传感器）
总计	1946.0（7次）	1050.0			建议进液EC：2080.0， PH：6.5

上次灌溉EC（2567.0）与设定值（2080.0）偏差较大，请检查。
上次灌溉EC（2567.0）与模型建议（2080.0）偏差较大，请检查。







m=715, FV0=0



m=765, FV0=0



m=820, FV0=0



m=920, FV0=0

