



FgArea: [' 1']
NJ15 L1
2025-10-18 (Day 12)





Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']




Plot Sensor and FgRec Data







Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot ET/VN






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa










Trend plot for L1A1_1





FgDaily



L1A1_1









L1A1

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	61	40.0	0.163	多云	预期@07:10 手动 (未用传感器)
08:10	61	40.0	0.163	小雨	预期@08:10 手动 (未用传感器)
10:50	61	40.0	0.163	小雨	预期@10:50 手动 (未用传感器)
总计	183.0 (3次)	120.0			建议进液EC: 2780, PH: 6.0







L1A1


时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	20	40.0	0.163	阴	假设@07:10 手动 (未用传感器)
08:10	20	40.0	0.163	阴	假设@08:10 手动 (未用传感器)
10:30	20	40.0	0.163	多云	假设@10:30 手动 (未用传感器)
总计	60.0 (3次)	120.0			建议进液EC: 2600, PH: 6.0


上次灌溉时长未按模型建议 (20 vs 61.0))
默认实际灌溉13.0 ml.






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	20	40.0	0.163	雾	假设@07:10 手动 (未用传感器)
08:10	20	40.0	0.163	雾	假设@08:10 手动 (未用传感器)
11:35	20	40.0	0.163	雾	假设@11:35 手动 (未用传感器)
总计	60.0 (3次)	120.0			建议进液EC: 2760, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	40	40.0	0.163	雾	假设@07:05 手动 (未用传感器)
08:05	40	40.0	0.163	雾	假设@08:05 手动 (未用传感器)
10:50	40	40.0	0.163	雾	假设@10:50 手动 (未用传感器)
总计	120.0 (3次)	120.0			建议进液EC: 2150, PH: 6.0

上次灌溉流速比平时小 (0.61 vs 0.73), 可能有多阀同灌或管道堵塞或水压不足
 施肥机灌溉量与预期值不符 (24.0 : 29.0), 可能水表需要校准
 上次灌溉时长未按模型建议 (40 vs 55.0))
 默认实际灌溉29.0 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	55	40.0	0.163	雾	假设@07:05 未知程序(未用传感器)
08:05	55	40.0	0.163	雾	假设@08:05 未知程序(未用传感器)
11:50	55	40.0	0.163	阴	假设@11:50 未知程序(未用传感器)
总计	165.0 (3次)	120.0			建议进液EC: 2240, PH: 6.0

