



FgArea: [' 2']
NJ15 L1
2025-11-09 (Day 34)








Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]



Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PH0:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage




Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for L1A2_2








FgDaily













L1A2


时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	65	50.0	0.203	小雨	预期@08:30 手动 (未用传感器)
总计	65.0 (1次)	50.0			建议进液EC: 1950, PH: 6.9







L1A2


时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	66	50.0	0.203	雾	假设@08:25 未知程序 (未用传感器)
总计	66.0 (1次)	50.0			建议进液EC: 1950, PH: 7.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	53	40.0	0.163	小雨	假设@07:25 未知程序 (未用传感器)
总计	53.0 (1次)	40.0			建议进液EC: 1950, PH: 6.9






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	30	40.0	0.163	雾	假设@07:25 手动 (未用传感器)
总计	30.0 (1次)	40.0			建议进液EC: 1950, PH: 7.0

施肥机灌溉量与预期值不符 (18.0 : 22.0), 可能水表需要校准
上次灌溉时长未按模型建议 (30 vs 53.0))
默认实际灌溉22.0 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	20	40.0	0.163	雾	假设@07:25 手动 (未用传感器)
08:25	20	40.0	0.163	雾	假设@08:25 手动 (未用传感器)
总计	40.0 (2次)	80.0			建议进液EC: 2180, PH: 6.9

