



FgArea: [' 2']
NJ15 L1
2025-10-14 (Day 8)





Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot ['ECopt']




Plot Sensor and FgRec Data







Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot ET/VN






Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for L1A2_2




FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	54	40.0	0.163	多云	预期@07:05 手动 (未用传感器)
08:05	54	40.0	0.163	多云	预期@08:05 手动 (未用传感器)
10:50	54	40.0	0.163	多云	预期@10:50 手动 (未用传感器)
总计	162.0 (3次)	120.0			建议进液EC: 2130, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	40	40.0	0.163	阴	假设@07:05 手动 (未用传感器)
08:05	40	40.0	0.163	雾	假设@08:05 手动 (未用传感器)
11:35	40	40.0	0.163	雾	假设@11:35 手动 (未用传感器)
总计	120.0 (3次)	120.0			建议进液EC: 2010, PH: 6.0


上次灌溉流速比平时小 (0.61 vs 0.73), 可能有多阀同灌或管道堵塞或水压不足
 施肥机灌溉量与预期值不符 (24.0 : 29.0), 可能水表需要校准
 上次灌溉时长未按模型建议 (40 vs 55.0))
 默认实际灌溉29.0 ml.



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	40	40.0	0.163	雾	假设@07:05 手动 (未用传感器)
08:05	40	40.0	0.163	雾	假设@08:05 手动 (未用传感器)
11:20	40	40.0	0.163	雾	假设@11:20 手动 (未用传感器)
总计	120.0 (3次)	120.0			建议进液EC: 1750, PH: 6.0


上次灌溉时长未按模型建议 (40 vs 56.0))
默认实际灌溉28.0 ml.






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	40	40.0	0.163	雾	假设@07:05 手动 (未用传感器)
08:05	40	40.0	0.163	雾	假设@08:05 手动 (未用传感器)
10:55	40	40.0	0.163	雾	假设@10:55 手动 (未用传感器)
总计	120.0 (3次)	120.0			建议进液EC: 1410, PH: 6.0

上次灌溉时长未按模型建议 (40 vs 56.0))
默认实际灌溉28.0 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	40	40.0	0.163	雾	假设@07:05 手动 (未用传感器)
08:05	40	40.0	0.163	雾	假设@08:05 手动 (未用传感器)
10:30	40	40.0	0.163	晴	假设@10:30 手动 (未用传感器)
总计	120.0 (3次)	120.0			建议进液EC: 1310, PH: 6.0

上次灌溉时长未按模型建议 (40 vs 56.0))
默认实际灌溉28.0 ml.

