FgArea: ['3']
NJ15 L1
2026-02-07 (Day 124)


fgNum 1 (at_row =)
VI
VO
d


fgNum 2 (at_row =)
VI
VO
d


fgNum 3 (at_row = 40)
VI
VO
d


fgNum 4 (at_row =)
VI
VO
d


1 VN
d


2 VN
d


3 VN
d


4 VN
d


1 OIR
d


2 OIR
d


3 OIR
d


4 OIR
d


1 VI vs Du
DU


2 VI vs Du
DU


3 VI vs Du
DU


4 VI vs Du
DU


1 FR
d


2 FR
d


3 FR
d


4 FR
d


1 setVI
d


2 setVI
d


3 setVI
d


4 setVI
d


1 (fgArea = NA)
ECI*10%
ECO
d


2 (fgArea = NA)
ECI*10%
ECO
d


3 (fgArea = NA)
ECI*10%
ECO
d


4 (fgArea = NA)
ECI*10%
ECO
d


PHI*10%
PHO
8.0
7.5
7.0
6.5
6.0
5.5
20
40
60
80
100
120
d


PHI*10%
PHO
8.0
7.5
7.0
6.5
6.0
5.5
20
40
60
80
100
120
d


PHI*10%
PHO
8.0
7.5
7.0
6.5
6.0
5.5
20
40
60
80
100
120
d


PHI*10%
PHO
8.0
7.5
7.0
6.5
6.0
5.5
20
40
60
80
100
120
d


Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]
EcFzExp
ECdef
EcParam
water_ec
Warning: col ['EcFgro', 'EcPltng'] is missing
3000
2500
2000
1500
1000
500
0
0
50
100
150
200
d


Plot ['ECopt']
ECopt
3000
2500
2000
1500
1000
500
0
0
50
100
150
200
d


L1A3_3: Ws_E44
0.050
0.025
0.000
−0.025
−0.050
30
20
10
0
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123

Plot Sensor and FgRec Data


Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]
ETcA_VN
ETcA_ws
ETcB_VN
ETcB_ws
3.0
2.5
2.0
1.5
1.0
0.5
0.0
20
40
60
80
100
120
d


Plot [['ETcAraw:o', 'ETcA']]
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
20
40
60
80
100
120
d
ETcAraw
ETcA


Plot [['ETcBraw:o', 'ETcB']]
2.00
1.75
1.50
1.25
1.00
0.75
0.50
0.25
0.00
0
20
40
60
80
100
120
d
ETcBraw
ETcB

I'], ['T', 'optT'], ['RH', 'optRH'], ['ETcl', 'optETcl'], ['ETcldef', 'optETcldef'], ['ETol', 'optETol'], 'LAI', ['optEtRate', 'optEtRateDef', '


















Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]
taoc
0.73
0.72
0.71
0.70
0.69
0.68
0.67
Warning: col ['taoc_raw', 'taoc_avg'] is missing
0
50
100
150
200
d


Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'slSetVI']]
setVI_ETcl
setVI_fgRec
setVI_VN
slSetVI
0
10
20
30
40
50
0
20
40
60
80
100
120
d


Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']
Warning: col ['VI_pcterr'] missing
Warning: col ['VO_pcterr'] missing
Warning: col ['VN_pcterr'] missing
0.0
0.2
0.4
0.6
0.8
1.0


Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]
FRV
VI
Warning: col ['FVI'] is missing
400
300
200
100
0
0
20
40
60
80
100
120
d


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]
2500
2000
1500
1000
500
20
40
60
80
100
120
d
ECC
ECI
Warning: col ['FVIEC'] is missing


Plot [['FVOEC:r-o', 'ECO:g-o']]
ECO
Warning: col ['FVOEC'] is missing
6000
5000
4000
3000
2000
20
40
60
80
100
120
d


Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]
PHC
PHI
Warning: col ['FVIPH'] is missing
7.4
7.2
7.0
6.8
6.6
6.4
6.2
20
40
60
80
100
120
d


Plot [['FVOPH:r-o', 'PHO:g-o']]
PHO
Warning: col ['FVOPH'] is missing
7.8
7.6
7.4
7.2
7.0
6.8
6.6
20
30
40
50
60
70
80
90
d


Plot ET/VN
ETcl
ETcldef
VN
8000
6000
4000
2000
0
0
20
40
60
80
100
120
d


Plot Fv and fertilizer usage
cumETcldef
cumETcl
cumFRV
cumVl
cumVO
d
cum_stock_vol
d
ECB
ECI
fz_stock_ec
d
estFDF
d


Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa
N_kg_mu
P205_kg_mu
K20_kg_mu
d


Trend plot forL1A3_3
minFVI
minFVO
Warning: col ['minFVIraw', 'minFVOraw'] is missing
ETcA
Warning: col ['ETcA1raw', 'ETcA1', 'ETcA2raw', 'ETcA2'] is missing
Warning: col ['ETcA2raw', 'ETcA2avg', 'ETcA2'] is missing
ECopt
ECc
ECi
ECO
PHopt
PHC
PHI
PHO
WCperM
Warning: col ['WCperMraw', 'WCperMavg'] is missing
minDeltaM
avgDeltaM
stdDeltaM
begM
maxM
minM
adjFVOR
Warning: col ['adjFVIRraw', 'adjFVIR', 'adjFVORraw'] is missing
FRA
FRC
FRraw
FR
LAI
beg_wc
postFgEtraw
postFgEtavg
postFgEt
d


FgDaily
d
0.0
6.0
12.0
18.0
24.0
30.0
36.0
42.0
48.0
54.0
60.0
66.0
72.0
78.0
84.0
90.0
96.0
102.0
108.0
114.0
120.0
100
80
60
40
20
0
设置EC
母液EC
回液EC差
回液PH差
设置PH
EC执行
PH执行
回液PH
回液EC
进液EC
母液PH
设置量比较
进液PH
排灌比
scTgtEC0
scSum

L1A3_3













d


ETcl
ETcldef
ETcP
ETcPT
ETclis
ESo
ETol
ETbai
pR
pVPD
VN
I
PPFD
T
RH
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75


ETcl
ETol
T
RH
VN
I
ETcl
ETol
T
RH
VN
I





baiA	baiB
0.5588	0.02






hour
8:25
11:00
13:05
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
灌溉量执行
含水率
灌溉时间点
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	33	20.0	0.081	多云	预期@08:25 自主（未用传感器）
11:00	33	20.0	0.081	多云	预期@11:00 自主（未用传感器）
13:05	33	20.0	0.081	多云	预期@13:05 自主（未用传感器）
总计	99.0 (3次)	60.0			建议进液EC：1900， PH：6.0

L1A3_3, Day=124 (2026-02-07)




hour
8:25
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
含水率
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	33	20.0	0.081	小雨	假设@08:25 自动（未用传感器）
总计	33.0 (1次)	20.0			建议进液EC：1900， PH：6.0

L1A3_3, Day=123.0 (2026-02-06)




Ws_E44
4.85
4.80
4.75
4.70
4.65
4.60
0
5
10
15
20
hour


m=455, FV0=0, deltaM=0.11
Ws_E44
4.68
4.66
4.64
4.62
4.60
4.58
4.56
440
460
480
500
minute


m=655, FV0=0, deltaM=nan
Ws_E44
4.84
4.82
4.80
4.78
4.76
660
680
700
minute


hour
8:25
10:50
13:40
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
灌溉量执行
含水率
灌溉时间点
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	31	20.0	0.081	雾	假设@08:25 自动（未用传感器）
10:50	31	20.0	0.081	雾	假设@10:50 自动（未用传感器）
13:40	31	20.0	0.081	多云	假设@13:40 自动（未用传感器）
总计	93.0 (3次)	60.0			建议进液EC：1900， PH：6.0

unusual large postFgEt from yesterday (67), set to 60.0 ml.

L1A3_3, Day=122.0 (2026-02-05)




Ws_E44
m=455, FV0=0, deltaM=0.1
m=480, FV0=0, deltaM=0.08
m=510, FV0=0, deltaM=0.07
m=540, FV0=0, deltaM=0.08
m=570, FV0=0, deltaM=0.07
m=600, FV0=0, deltaM=0.07
m=630, FV0=0, deltaM=0.07
minute


hour
8:25
10:00
11:10
12:05
13:00
14:00
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
灌溉量执行
含水率
灌溉时间点
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	30	20.0	0.081	雾	假设@08:25 自动（未用传感器）
10:00	30	20.0	0.081	晴	假设@10:00 自动（未用传感器）
11:10	30	20.0	0.081	晴	假设@11:10 自动（未用传感器）
12:05	30	20.0	0.081	霾	假设@12:05 自动（未用传感器）
13:00	30	20.0	0.081	晴	假设@13:00 自动（未用传感器）
14:00	30	20.0	0.081	晴	假设@14:00 自动（未用传感器）
总计	180.0 (6次)	120.0			建议进液EC：1900， PH：6.0

上次灌溉流速比过去5天平均大 (0.74 vs 0.61)，可能管道压力异常或有管道漏水
默认实际灌溉20.0 ml.

L1A3_3, Day=121.0 (2026-02-04)




Ws_E44
m=605, FV0=0, deltaM=0.1
m=635, FV0=0, deltaM=0.1
m=665, FV0=0, deltaM=0.1
m=695, FV0=0, deltaM=0.09
m=725, FV0=0, deltaM=0.08
m=755, FV0=0, deltaM=0.08
m=785, FV0=0, deltaM=0.08
m=815, FV0=0, deltaM=0.09
m=845, FV0=0, deltaM=0.08
m=880, FV0=0, deltaM=0.08
m=925, FV0=0, deltaM=0.09
minute


hour
8:30
10:00
11:15
12:15
13:15
14:25
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
含水率
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	30	20.0	0.081	雾	假设@08:30 自动（未用传感器）
10:00	30	20.0	0.081	雾	假设@10:00 自动（未用传感器）
11:15	30	20.0	0.081	晴	假设@11:15 自动（未用传感器）
12:15	30	20.0	0.081	霾	待执行@12:15 自动（未用传感器）
13:15	30	20.0	0.081	阴	假设@13:15 自动（未用传感器）
14:25	30	20.0	0.081	阴	假设@14:25 自动（未用传感器）
总计	180.0 (6次)	120.0			建议进液EC：1900， PH：6.0

L1A3_3, Day=120.0 (2026-02-03)




Ws_E44
m=540, FV0=0, deltaM=0.09
m=585, FV0=0, deltaM=0.09
m=615, FV0=0, deltaM=0.08
m=645, FV0=0, deltaM=0.08
m=675, FV0=0, deltaM=0.07
m=705, FV0=0, deltaM=0.08
m=735, FV0=0, deltaM=0.08
minute