


































FgArea: [' 3']
NJ15 L1
2026-04-12 (Day 188)






Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Warning: col ['EcFgro', 'EcPltng'] is missing







Plot [' ECopt ']





L1A3_3: Ws_E44




Plot Sensor and FgRec Detail




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]







Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot [['FRV:b-o', 'VI_ws:r-o', 'VI:g-o']]




Plot [['V0_ws:r-o', 'V0:g-o']]




Plot [['delta_drain:ro', 'adjV0:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage





Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot for LIA3_3




















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	80	40.0	0.163	小雨	已安排(未用传感数据) 自主(预期回液 无)
08:25	80	40.0	0.163	小雨	预期(未用传感数据) 自主(预期回液 无)
09:10	80	40.0	0.163	小雨	预期(未用传感数据) 自主(预期回液 无)
09:55	80	40.0	0.163	小雨	预期(未用传感数据) 自主(预期回液 无)
10:40	80	40.0	0.163	小雨	预期(未用传感数据) 自主(预期回液 无)
11:25	80	40.0	0.163	小雨	预期(未用传感数据) 自主(预期回液 25 ml/株)
14:50	80	40.0	0.163	小雨	预期(未用传感数据) 自主(预期回液 无)
总计	560.0 (7次)	280.0			建议进液EC: 1900, PH: 6.0













间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
45	80	40.0	0.163	雾	假设已执行(未用传感数据) 未知程序(预期回液 无)
30	80	40.0	0.163	雾	假设已执行(未用传感数据) 未知程序(预期回液 无)
15	80	40.0	0.163	雾	假设已执行(未用传感数据) 未知程序(预期回液 23 ml/株)
计	240.0 (3次)	120.0			建议进液EC: 1900, PH: 6.0













间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
45	80	40.0	0.163	雾	假设已执行(未用传感数据) 未知程序(预期回液 无)
30	80	40.0	0.163	雾	假设已执行(未用传感数据) 未知程序(预期回液 12 ml/株)
15	80	40.0	0.163	雾	假设已执行(未用传感数据) 未知程序(预期回液 33 ml/株)
25	80	40.0	0.163	多云	假设已执行(未用传感数据) 未知程序(预期回液 无)
20	80	40.0	0.163	多云	假设已执行(未用传感数据) 未知程序(预期回液 无)
15	80	40.0	0.163	多云	假设已执行(未用传感数据) 未知程序(预期回液 无)
30	80	40.0	0.163	多云	假设已执行(未用传感数据) 未知程序(预期回液 无)
计	560.0 (7次)	280.0			建议进液EC: 1900, PH: 6.0





间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10	80	40.0	0.163	大雨	假设已执行(未用传感数据) 未知程序(预期回液 无)
55	80	40.0	0.163	大雨	假设已执行(未用传感数据) 未知程序(预期回液 无)
40	80	40.0	0.163	小雨	假设已执行(未用传感数据) 未知程序(预期回液 无)
25	80	40.0	0.163	小雨	假设已执行(未用传感数据) 未知程序(预期回液 2 ml/株)
计	320.0 (4次)	160.0			建议进液EC: 1900, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
04:45	80	40.0	0.163	阴	假设已执行(未用传感数据) 未知程序(预期回液 无)
05:30	80	40.0	0.163	阴	假设已执行(未用传感数据) 未知程序(预期回液 无)
06:15	80	40.0	0.163	晴	假设已执行(未用传感数据) 未知程序(预期回液 无)
07:00	80	40.0	0.163	晴	假设已执行(未用传感数据) 未知程序(预期回液 14 ml/株)
07:45	80	40.0	0.163	晴	假设已执行(未用传感数据) 未知程序(预期回液 30 ml/株)
08:00	80	40.0	0.163	阴	假设已执行(未用传感数据) 未知程序(预期回液 无)
08:55	80	40.0	0.163	阴	假设已执行(未用传感数据) 未知程序(预期回液 无)
总计	560.0 (7次)	280.0			建议进液EC: 1900, PH: 6.0

