


































FgArea: [' 4']
NJ15 L1
2026-01-20 (Day 106)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]





Plot [' ECopt']




Plot Sensor and FgRec Data




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage











Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot for L1A4_4














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:40	47	20.0	0.081	小雪	预期@09:40 自主 (未用传感器)
10:55	47	20.0	0.081	小雪	预期@10:55 自主 (未用传感器)
13:00	47	20.0	0.081	小雪	预期@13:00 自主 (未用传感器)
总计	141.0 (3次)	60.0			建议进液EC: 1900, PH: 6.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	44	20.0	0.081	雾	假设@08:10 自动 (未用传感器)
总计	44.0 (1次)	20.0			建议进液EC: 1900, PH: 6.0

施肥机灌溉量与预期值不符 (27.0 : 20.0), 可能水表需要校准
默认实际灌溉20.0 ml.























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:25	43	20.0	0.081	雾	假设@08:25 自动 (未用传感器)
10:30	43	20.0	0.081	雾	假设@10:30 自动 (未用传感器)
11:35	43	20.0	0.081	雾	假设@11:35 自动 (未用传感器)
12:25	43	20.0	0.081	雾	假设@12:25 自动 (未用传感器)
13:15	43	20.0	0.081	多云	假设@13:15 自动 (未用传感器)
14:10	43	20.0	0.081	多云	假设@14:10 自动 (未用传感器)
总计	258.0 (6次)	120.0			建议进液EC: 1900, PH: 6.0


施肥机灌溉量与预期值不符 (25.0 : 20.0), 可能水表需要校准
默认实际灌溉20.0 ml.

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:25	43	20.0	0.081	霾	假设@09:25 自动 (未用传感器)
11:15	43	20.0	0.081	雾	假设@11:15 自动 (未用传感器)
13:10	43	20.0	0.081	雾	假设@13:10 自动 (未用传感器)
总计	129.0 (3次)	60.0			建议进液EC: 1900, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:55	43	20.0	0.081	雾	假设@08:55 自动 (未用传感器)
09:40	43	20.0	0.081	雾	假设@09:40 自动 (未用传感器)
10:40	43	20.0	0.081	霾	假设@10:40 自动 (未用传感器)
11:25	43	20.0	0.081	霾	假设@11:25 自动 (未用传感器)
12:05	43	20.0	0.081	霾	假设@12:05 自动 (未用传感器)
12:40	43	20.0	0.081	霾	假设@12:40 自动 (未用传感器)
13:15	43	20.0	0.081	霾	假设@13:15 自动 (未用传感器)
13:55	43	20.0	0.081	霾	假设@13:55 自动 (未用传感器)
14:35	43	20.0	0.081	晴	假设@14:35 自动 (未用传感器)
15:25	43	20.0	0.081	晴	待执行@15:25 自动 (未用传感器)
总计	430.0 (10次)	200.0			建议进液EC: 1900, PH: 6.0







m=725, FV0=0, deltaM=0.07




m=760, FV0=0, deltaM=0.07




m=795, FV0=0, deltaM=0.07



m=835, FV0=0, deltaM=0.07



m=875, FV0=0, deltaM=0.08



m=925, FV0=0, deltaM=0.09

