FgArea: ['4']
NJ15 L1
2026-01-25 (Day 111)


fgNum 1 (at_row =)
VI
VO
d


fgNum 2 (at_row =)
VI
VO
d


fgNum 3 (at_row =)
VI
VO
d


fgNum 4 (at_row = 58)
VI
VO
d


1 VN
d


2 VN
d


3 VN
d


4 VN
d


1 OIR
d


2 OIR
d


3 OIR
d


4 OIR
d


1 VI vs Du
DU


2 VI vs Du
DU


3 VI vs Du
DU


4 VI vs Du
DU


1 FR
d


2 FR
d


3 FR
d


4 FR
d


1 setVI
d


2 setVI
d


3 setVI
d


4 setVI
d


1 (fgArea = NA)
ECI*10%
ECO
d


2 (fgArea = NA)
ECI*10%
ECO
d


3 (fgArea = NA)
ECI*10%
ECO
d


4 (fgArea = NA)
ECI*10%
ECO
d


PHI*10%
PHO
d


Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]
EcFzExp
ECdef
EcParam
water_ec
Warning: col ['EcFgro', 'EcPltng'] is missing
3000
2500
2000
1500
1000
500
0
0
50
100
150
200
d


Plot ['ECopt']
ECopt
3000
2500
2000
1500
1000
500
0
0
50
100
150
200
d

Plot Sensor and FgRec Data


Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]
1e6
4
3
2
1
0
20
40
60
80
100
d
ETcA_VN
ETcA_ws
3.0
2.5
2.0
1.5
1.0
0.5
0.0
20
40
60
80
100
d
ETcB_VN
ETcB_ws


Plot [['ETcAraw:o', 'ETcA']]
1e6
4
3
2
1
0
0
50
100
150
200
d
ETcAraw
ETcA


Plot [['ETcBraw:o', 'ETcB']]
ETcBraw
ETcB
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
50
100
150
200
d

I'], ['T', 'optT'], ['RH', 'optRH'], ['ETcI', 'optETcI'], ['ETcIdef', 'optETcIdef'], ['ETo', 'optETo'], 'LAI', ['optEtRate', 'optEtRateDef', '


















Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]
taoc
0.73
0.72
0.71
0.70
0.69
0.68
0.67
Warning: col ['taoc_raw', 'taoc_avg'] is missing
0
50
100
150
200
d


Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'slSetVI']]
setVI_ETcl
setVI_fgRec
setVI_VN
slSetVI
70
60
50
40
30
20
10
0
0
20
40
60
80
100
120
d


Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']
Warning: col ['VI_pcterr'] missing
Warning: col ['VO_pcterr'] missing
Warning: col ['VN_pcterr'] missing
0.0
0.2
0.4
0.6
0.8
1.0


Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]
FRV
VI
Warning: col ['FVI'] is missing
500
400
300
200
100
0
0
20
40
60
80
100
d


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]
2500
2000
1500
1000
500
20
40
60
80
100
d
ECC
ECI
Warning: col ['FVIEC'] is missing


Plot [['FVOEC:r-o', 'ECO:g-o']]
ECO
Warning: col ['FVOEC'] is missing
4500
4000
3500
3000
2500
2000
20
40
60
80
100
d


Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]
PHC
PHI
Warning: col ['FVIPH'] is missing
7.4
7.2
7.0
6.8
6.6
6.4
6.2
20
40
60
80
100
d


Plot [['FVOPH:r-o', 'PHO:g-o']]
PHO
7.4
7.2
7.0
6.8
6.6
6.4
Warning: col ['FVOPH'] is missing
20
30
40
50
60
70
80
90
d


Plot ET/VN
ETcl
ETcldef
VN
250
200
150
100
50
0
0
20
40
60
80
100
d

Plot Fv and fertilizer usage









Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forL1A4_4
minFVI
minFVO
Warning: col ['minFVIraw', 'minFVOraw'] is missing
ETcA
Warning: col ['ETcA1raw', 'ETcA1', 'ETcA1avg', 'ETcA2'] is missing
Warning: col ['ETcA2raw', 'ETcA2avg', 'ETcA2'] missing
ECopt
ECC
ECI
ECO
PHopt
PHC
PHI
PHO
WCperM
Warning: col ['WCperMraw', 'WCperMavg'] is missing
minDeltaM
avgDeltaM
stdDeltaM
begM
maxM
minM
adjFVOR
Warning: col ['adjFVIRraw', 'adjFVIR', 'adjFVORraw'] is missing
FRA
FRC
FRraw
FR
LAI
beg_wc
postFgEtraw
postFgEtavg
postFgEt
d


FgDaily
d
0.0
6.0
12.0
18.0
24.0
30.0
36.0
42.0
48.0
54.0
60.0
66.0
72.0
78.0
84.0
90.0
96.0
102.0
108.0
100
80
60
40
20
0
排灌比
设置PH
母液PH
回液EC
设置EC
母液EC
回液PH差
EC执行
进液EC
设置比较
回液EC差
回液PH
PH执行
进液PH
scTgtEC0
scSum

L1A4_4
ETcl
ETbai
VN
T
PPFD
I
RH
ETclis
ETcPT
ETcRn
d


ETcl
ETcldef
ETcP
ETcPT
ETclis
ESo
ETol
ETbai
pR
pVPD
VN
I
PPFD
T
RH
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75


ETcl
ETol
T
RH
VN
I
ETcl
ETol
T
RH
VN
I





baiA	baiB
0.6635	0.0323






hour
8:00
9:45
10:40
11:35
12:25
13:10
14:00
14:55
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
含水率
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	43	20.0	0.081	晴	预期@08:00 自主（未用传感器）
09:45	43	20.0	0.081	晴	预期@09:45 自主（未用传感器）
10:40	43	20.0	0.081	晴	预期@10:40 自主（未用传感器）
11:35	43	20.0	0.081	晴	预期@11:35 自主（未用传感器）
12:25	43	20.0	0.081	多云	预期@12:25 自主（未用传感器）
13:10	43	20.0	0.081	多云	预期@13:10 自主（未用传感器）
14:00	43	20.0	0.081	多云	预期@14:00 自主（未用传感器）
14:55	43	20.0	0.081	多云	预期@14:55 自主（未用传感器）
总计	344.0 (8次)	160.0			建议进液EC：1900， PH：6.0

L1A4_4, Day=111 (2026-01-25)




hour
8:05
9:30
10:00
10:45
11:20
11:55
12:25
12:55
13:25
13:55
14:30
15:10
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
含水率
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	48	20.0	0.081	雾	假设@08:05 自动（未用传感器）
09:30	48	20.0	0.081	雾	假设@09:30 自动（未用传感器）
10:00	48	20.0	0.081	晴	假设@10:00 自动（未用传感器）
10:45	48	20.0	0.081	晴	假设@10:45 自动（未用传感器）
11:20	48	20.0	0.081	霾	假设@11:20 自动（未用传感器）
11:55	48	20.0	0.081	霾	假设@11:55 自动（未用传感器）
12:25	48	20.0	0.081	霾	假设@12:25 自动（未用传感器）
12:55	48	20.0	0.081	霾	假设@12:55 自动（未用传感器）
13:25	48	20.0	0.081	霾	假设@13:25 自动（未用传感器）
13:55	48	20.0	0.081	霾	假设@13:55 自动（未用传感器）
14:30	48	20.0	0.081	阴	假设@14:30 自动（未用传感器）
15:10	48	20.0	0.081	阴	假设@15:10 自动（未用传感器）
总计	576.0 (12次)	240.0			建议进液EC：1900， PH：6.0

施肥机灌溉量与预期值不符 (27.0 : 20.0)，可能水表需要校准
默认实际灌溉20.0 ml.

L1A4_4, Day=110 (2026-01-24)




M_W


m=550, FV0=0, deltaM=-0.2
M_W


m=580, FV0=0, deltaM=-2.4
M_W


m=635, FV0=0, deltaM=-2.8
M_W


m=675, FV0=0, deltaM=-1.2
M_W


m=705, FV0=0, deltaM=-1.6
M_W


m=735, FV0=0, deltaM=-2.5
M_W


m=765, FV0=0, deltaM=-2.4
M_W


m=795, FV0=0, deltaM=-2.6
M_W


m=825, FV0=0, deltaM=-2.6
M_W


m=855, FV0=0, deltaM=-2.8
M_W


m=885, FV0=0, deltaM=-2.2
M_W


m=930, FV0=0, deltaM=-2.0
M_W
minute


Ws_W68
hour


m=550, FV0=0, deltaM=0.15
Ws_W68
minute


m=580, FV0=0, deltaM=0.04
Ws_W68
minute


m=635, FV0=0, deltaM=0.05
m=675, FV0=0, deltaM=0.05
m=705, FV0=0, deltaM=0.04
m=735, FV0=0, deltaM=0.05
m=765, FV0=0, deltaM=0.05
m=795, FV0=0, deltaM=0.04
m=825, FV0=0, deltaM=0.05
m=855, FV0=0, deltaM=0.04
m=885, FV0=0, deltaM=0.04
m=930, FV0=0, deltaM=0.06
Ws_W68
minute


hour
8:30
9:45
11:00
11:50
12:35
13:20
14:10
15:15
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
含水率
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	48	20.0	0.081	雾	假设@08:30 自动（未用传感器）
09:45	48	20.0	0.081	雾	假设@09:45 自动（未用传感器）
11:00	48	20.0	0.081	晴	假设@11:00 自动（未用传感器）
11:50	48	20.0	0.081	晴	假设@11:50 自动（未用传感器）
12:35	48	20.0	0.081	晴	假设@12:35 自动（未用传感器）
13:20	48	20.0	0.081	晴	假设@13:20 自动（未用传感器）
14:10	48	20.0	0.081	晴	假设@14:10 自动（未用传感器）
15:15	48	20.0	0.081	晴	假设@15:15 自动（未用传感器）
总计	384.0 (8次)	160.0			建议进液EC：1900， PH：6.0

上次灌溉流速比平时大 (0.82 vs 0.58))，可能有多阀同灌或管道漏水
施肥机灌溉量与预期值不符 (39.0 : 20.0)，可能水表需要校准
默认实际灌溉20.0 ml.

L1A4_4, Day=109 (2026-01-23)




M_W


m=485, FV0=0, deltaM=0.1
M_W


m=615, FV0=0, deltaM=1.4
M_W


m=645, FV0=0, deltaM=-2.6
M_W


m=675, FV0=0, deltaM=-0.3
M_W


m=710, FV0=0, deltaM=-2.4
M_W


m=740, FV0=0, deltaM=-2.5
M_W


m=770, FV0=0, deltaM=0.4
M_W


m=800, FV0=0, deltaM=0.1
M_W


m=830, FV0=0, deltaM=-1.8
M_W


m=865, FV0=0, deltaM=-2.0
M_W


m=905, FV0=0, deltaM=-1.5
M_W


m=960, FV0=0, deltaM=-2.1
M_W
minute


m=1020, FV0=0, deltaM=-0.0
Ws_W68
hour


m=485, FV0=0, deltaM=-0.0
Ws_W68
minute


m=615, FV0=0, deltaM=0.15
Ws_W68
minute


m=645, FV0=0, deltaM=0.17
m=675, FV0=0, deltaM=0.13
m=710, FV0=0, deltaM=0.13
m=740, FV0=0, deltaM=0.1
m=770, FV0=0, deltaM=0.12
m=800, FV0=0, deltaM=0.09
m=830, FV0=0, deltaM=0.07
m=865, FV0=0, deltaM=0.08
m=905, FV0=0, deltaM=0.08
m=960, FV0=0, deltaM=0.07
Ws_W68
minute


hour
9:55
10:30
11:30
12:30
13:25
14:20
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
灌溉量执行
含水率
灌溉时间点
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:55	47	20.0	0.081	阴	假设@09:55 自动（未用传感器）
10:30	47	20.0	0.081	多云	假设@10:30 自动（未用传感器）
11:30	47	20.0	0.081	晴	假设@11:30 自动（未用传感器）
12:30	47	20.0	0.081	晴	假设@12:30 自动（未用传感器）
13:25	47	20.0	0.081	晴	假设@13:25 自动（未用传感器）
14:20	47	20.0	0.081	晴	假设@14:20 自动（未用传感器）
总计	282.0 (6次)	120.0			建议进液EC：1900， PH：6.0

施肥机灌溉量与预期值不符 (27.0 : 20.0)，可能水表需要校准
默认实际灌溉20.0 ml.

L1A4_4, Day=108 (2026-01-22)




m=590, FV0=0, deltaM=4.3
m=655, FV0=0, deltaM=1.2
m=785, FV0=0, deltaM=2.4
M_W
Ws_W68
hour
minute
m=590, FV0=0, deltaM=0.09
m=655, FV0=0, deltaM=0.09
m=785, FV0=0, deltaM=0.09


hour
9:20
10:25
12:00
13:20
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
灌溉量执行
含水率
灌溉时间点
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	48	20.0	0.081	晴	假设@09:20 自动（未用传感器）
10:25	48	20.0	0.081	晴	假设@10:25 自动（未用传感器）
12:00	48	20.0	0.081	晴	假设@12:00 自动（未用传感器）
13:20	48	20.0	0.081	晴	假设@13:20 自动（未用传感器）
总计	192.0 (4次)	80.0			建议进液EC：1900， PH：6.0

施肥机灌溉量与预期值不符 (27.0 : 20.0)，可能水表需要校准
默认实际灌溉20.0 ml.

L1A4_4, Day=107 (2026-01-21)




M_W


m=660, FV0=0, deltaM=-1.6
M_W
minute


m=705, FV0=0, deltaM=0.6
M_W
minute


m=790, FV0=0, deltaM=1.2
M_W
minute


m=870, FV0=0, deltaM=-0.2
M_W
minute


Ws_W68


m=660, FV0=0, deltaM=0.09
Ws_W68
minute


m=705, FV0=0, deltaM=0.1
Ws_W68
minute


m=790, FV0=0, deltaM=0.1
Ws_W68
minute


m=870, FV0=0, deltaM=0.11
Ws_W68
minute