


































FgArea: [' 4']
NJ15 L1
2025-12-22 (Day 77)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']




Plot Sensor and FgRec Data






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage




Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for L1A4_4






FgDaily


























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	34	20.0	0.081	多云	预期@09:20 自主 (未用传感器)
10:10	34	20.0	0.081	多云	预期@10:10 自主 (未用传感器)
11:05	34	20.0	0.081	多云	预期@11:05 自主 (未用传感器)
12:05	34	20.0	0.081	多云	预期@12:05 自主 (未用传感器)
13:00	34	20.0	0.081	多云	预期@13:00 自主 (未用传感器)
14:00	34	20.0	0.081	多云	预期@14:00 自主 (未用传感器)
总计	204.0 (6次)	120.0			建议进液EC: 2000, PH: 6.0














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:55	34	20.0	0.081	晴	假设@11:55 自动 (未用传感器)
12:25	34	20.0	0.081	晴	假设@12:25 自动 (未用传感器)
12:55	34	20.0	0.081	晴	假设@12:55 自动 (未用传感器)
13:35	34	20.0	0.081	晴	假设@13:35 自动 (未用传感器)
14:40	34	20.0	0.081	晴	假设@14:40 自动 (未用传感器)
总计	170.0 (5次)	100.0			建议进液EC: 2000, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
12:35	34	20.0	0.081	霾	假设@12:35 自动 (未用传感器)
13:05	34	20.0	0.081	霾	假设@13:05 自动 (未用传感器)
13:35	34	20.0	0.081	霾	假设@13:35 自动 (未用传感器)
总计	102.0 (3次)	60.0			建议进液EC: 2000, PH: 6.0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	34	20.0	0.081	雾	假设@09:30 自动 (未用传感器)
10:10	34	20.0	0.081	雾	假设@10:10 自动 (未用传感器)
10:50	34	20.0	0.081	雾	假设@10:50 自动 (未用传感器)
11:30	34	20.0	0.081	霾	假设@11:30 自动 (未用传感器)
12:25	34	20.0	0.081	阴	假设@12:25 自动 (未用传感器)
13:20	34	20.0	0.081	晴	假设@13:20 自动 (未用传感器)
14:25	34	20.0	0.081	晴	假设@14:25 自动 (未用传感器)
总计	238.0 (7次)	140.0			建议进液EC: 2000, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:30	36	20.0	0.081	雾	假设@09:30 自动 (未用传感器)
10:05	36	20.0	0.081	雾	假设@10:05 自动 (未用传感器)
10:35	36	20.0	0.081	雾	假设@10:35 自动 (未用传感器)
11:20	36	20.0	0.081	雾	假设@11:20 自动 (未用传感器)
12:00	36	20.0	0.081	阴	假设@12:00 自动 (未用传感器)
12:35	36	20.0	0.081	阴	假设@12:35 自动 (未用传感器)
13:10	36	20.0	0.081	阴	假设@13:10 自动 (未用传感器)
13:50	36	20.0	0.081	阴	假设@13:50 自动 (未用传感器)
14:35	36	20.0	0.081	阴	假设@14:35 自动 (未用传感器)
总计	324.0 (9次)	180.0			建议进液EC: 2000, PH: 6.0

