


































FgArea: [' 4']
NJ15 L1
2026-01-02 (Day 88)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]











Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage











Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







FgDaily






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:45	36	20.0	0.081	晴	预期@09:45 自主 (未用传感器)
11:00	36	20.0	0.081	晴	预期@11:00 自主 (未用传感器)
总计	72.0 (2次)	40.0			建议进液EC: 1900, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:05	36	20.0	0.081	小雪	假设@09:05 自动 (未用传感器)
10:05	36	20.0	0.081	阴	假设@10:05 自动 (未用传感器)
11:05	36	20.0	0.081	多云	假设@11:05 自动 (未用传感器)
12:25	36	20.0	0.081	多云	假设@12:25 自动 (未用传感器)
总计	144.0 (4次)	80.0			建议进液EC: 1900, PH: 6.0


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:20	36	20.0	0.081	多云	假设@08:20 自动 (未用传感器)
09:15	36	20.0	0.081	阴	假设@09:15 自动 (未用传感器)
10:10	36	20.0	0.081	阴	假设@10:10 自动 (未用传感器)
11:45	36	20.0	0.081	阴	假设@11:45 自动 (未用传感器)
13:15	36	20.0	0.081	阴	假设@13:15 自动 (未用传感器)
15:30	36	20.0	0.081	阴	假设@15:30 自动 (未用传感器)
总计	216.0 (6次)	120.0			建议进液EC: 1900, PH: 6.0


上次灌溉流速比平时小 (0.55 vs 0.61), 可能有多阀同灌或管道堵塞或水压不足
默认实际灌溉20.0 ml.























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:30	36	20.0	0.081	霾	假设@08:30 自动 (未用传感器)
09:30	36	20.0	0.081	霾	假设@09:30 自动 (未用传感器)
10:10	36	20.0	0.081	雾	假设@10:10 自动 (未用传感器)
11:05	36	20.0	0.081	霾	假设@11:05 自动 (未用传感器)
12:00	36	20.0	0.081	霾	假设@12:00 自动 (未用传感器)
13:10	36	20.0	0.081	晴	假设@13:10 自动 (未用传感器)
14:15	36	20.0	0.081	霾	假设@14:15 自动 (未用传感器)
15:20	36	20.0	0.081	阴	假设@15:20 自动 (未用传感器)
总计	288.0 (8次)	160.0			建议进液EC: 1900, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:45	36	20.0	0.081	雾	假设@08:45 自动 (未用传感器)
09:25	36	20.0	0.081	雾	假设@09:25 自动 (未用传感器)
10:05	36	20.0	0.081	晴	假设@10:05 自动 (未用传感器)
11:00	36	20.0	0.081	晴	假设@11:00 自动 (未用传感器)
11:50	36	20.0	0.081	晴	假设@11:50 自动 (未用传感器)
12:45	36	20.0	0.081	晴	假设@12:45 自动 (未用传感器)
13:40	36	20.0	0.081	晴	假设@13:40 自动 (未用传感器)
14:45	36	20.0	0.081	晴	假设@14:45 自动 (未用传感器)
总计	288.0 (8次)	160.0			建议进液EC: 1900, PH: 6.0

