


































FgArea: [' 4']
NJ15 L1
2026-01-04 (Day 90)













Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']




Plot Sensor and FgRec Data






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage











Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot for L1A4_4



























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:15	38	20.0	0.081	阴	预期@10:15 自主 (未用传感器)
11:05	38	20.0	0.081	阴	预期@11:05 自主 (未用传感器)
12:55	38	20.0	0.081	阴	预期@12:55 自主 (未用传感器)
总计	114.0 (3次)	60.0			建议进液EC: 1900, PH: 6.0












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	38	20.0	0.081	多云	假设@08:05 自动 (未用传感器)
09:05	38	20.0	0.081	晴	假设@09:05 自动 (未用传感器)
10:35	38	20.0	0.081	雾	假设@10:35 自动 (未用传感器)
11:55	38	20.0	0.081	晴	假设@11:55 自动 (未用传感器)
13:05	38	20.0	0.081	晴	假设@13:05 自动 (未用传感器)
总计	190.0 (5次)	100.0			建议进液EC: 1900, PH: 6.0












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	36	20.0	0.081	雾	假设@08:05 自动 (未用传感器)
08:35	36	20.0	0.081	雾	假设@08:35 自动 (未用传感器)
09:55	36	20.0	0.081	雾	假设@09:55 自动 (未用传感器)
10:50	36	20.0	0.081	雾	假设@10:50 自动 (未用传感器)
11:45	36	20.0	0.081	多云	假设@11:45 自动 (未用传感器)
12:40	36	20.0	0.081	多云	假设@12:40 自动 (未用传感器)
13:35	36	20.0	0.081	多云	假设@13:35 自动 (未用传感器)
14:35	36	20.0	0.081	多云	假设@14:35 自动 (未用传感器)
总计	288.0 (8次)	160.0			建议进液EC: 1900, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	36	20.0	0.081	小雪	假设@08:05 自动 (未用传感器)
08:40	36	20.0	0.081	小雪	假设@08:40 自动 (未用传感器)
09:20	36	20.0	0.081	小雪	假设@09:20 自动 (未用传感器)
10:25	36	20.0	0.081	阴	假设@10:25 自动 (未用传感器)
11:20	36	20.0	0.081	多云	假设@11:20 自动 (未用传感器)
12:10	36	20.0	0.081	多云	假设@12:10 自动 (未用传感器)
12:50	36	20.0	0.081	多云	假设@12:50 自动 (未用传感器)
13:40	36	20.0	0.081	多云	假设@13:40 自动 (未用传感器)
14:45	36	20.0	0.081	多云	假设@14:45 自动 (未用传感器)
总计	324.0 (9次)	180.0			建议进液EC: 1900, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	36	20.0	0.081	多云	假设@08:05 自动 (未用传感器)
08:35	36	20.0	0.081	多云	假设@08:35 自动 (未用传感器)
09:05	36	20.0	0.081	阴	假设@09:05 自动 (未用传感器)
09:35	36	20.0	0.081	阴	假设@09:35 自动 (未用传感器)
10:30	36	20.0	0.081	阴	假设@10:30 自动 (未用传感器)
11:20	36	20.0	0.081	阴	假设@11:20 自动 (未用传感器)
12:10	36	20.0	0.081	阴	假设@12:10 自动 (未用传感器)
13:00	36	20.0	0.081	阴	假设@13:00 自动 (未用传感器)
14:00	36	20.0	0.081	阴	假设@14:00 自动 (未用传感器)
15:30	36	20.0	0.081	阴	假设@15:30 自动 (未用传感器)
总计	360.0 (10次)	200.0			建议进液EC: 1900, PH: 6.0

上次灌溉流速比平时小 (0.55 vs 0.61), 可能有多阀同灌或管道堵塞或水压不足
默认实际灌溉20.0 ml.

