



FgArea: [' 0' ]  
NJ15 P1  
2026-03-13 (Day 142)


Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [' ECopt']




P1\_0: M\_R5




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]







Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot ET/VN









Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for P1\_0





# FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	40	20.0	0.004	晴	预期@07:50 手动 (未用传感器)
总计	40.0 (1次)	20.0			建议进液EC: 1840, PH: 6.5











时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	40	20.0	0.004	雾	假设@07:50 未知程序(未用传感器)
10:30	40	20.0	0.004	雾	假设@10:30 未知程序(未用传感器)
12:50	40	20.0	0.004	晴	假设@12:50 未知程序(未用传感器)
总计	120.0 (3次)	60.0			建议进液EC: 1570, PH: 6.5










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	40	20.0	0.004	雾	假设@07:55 未知程序 (未用传感器)
10:25	40	20.0	0.004	晴	假设@10:25 未知程序 (未用传感器)
总计	80.0 (2次)	40.0			建议进液EC: 1840, PH: 6.5









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	40	20.0	0.004	晴	假设@07:55 未知程序(未用传感器)
10:00	40	20.0	0.004	晴	假设@10:00 未知程序(未用传感器)
12:10	40	20.0	0.004	晴	假设@12:10 未知程序(未用传感器)
总计	120.0 (3次)	60.0			建议进液EC: 1380, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	40	20.0	0.004	雾	假设@07:55 未知程序(未用传感器)
10:30	40	20.0	0.004	阴	假设@10:30 未知程序(未用传感器)
12:55	40	20.0	0.004	阴	假设@12:55 未知程序(未用传感器)
总计	120.0 (3次)	60.0			建议进液EC: 1360, PH: 6.5

