











FgArea: [' 0']
NJ15 P1
2025-12-11 (Day 50)

Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt ']














Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]











时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:55	160	80.0	0.016	多云	预期@08:55 手动 (未用传感器)
09:55	160	80.0	0.016	多云	预期@09:55 手动 (未用传感器)
11:40	160	80.0	0.016	多云	预期@11:40 手动 (未用传感器)
13:10	160	80.0	0.016	多云	预期@13:10 手动 (未用传感器)
总计	640.0 (4次)	320.0			建议进液EC: 4600, PH: 6.5








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:00	160	80.0	0.016	雾	假设@09:00 未知程序 (未用传感器)
10:00	160	80.0	0.016	雾	假设@10:00 未知程序 (未用传感器)
11:30	160	80.0	0.016	阴	假设@11:30 未知程序 (未用传感器)
13:15	160	80.0	0.016	晴	假设@13:15 未知程序 (未用传感器)
总计	640.0 (4次)	320.0			建议进液EC: 4600, PH: 6.5








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	160	80.0	0.016	雾	假设@08:50 未知程序 (未用传感器)
09:40	160	80.0	0.016	晴	假设@09:40 未知程序 (未用传感器)
11:10	160	80.0	0.016	晴	假设@11:10 未知程序 (未用传感器)
12:25	160	80.0	0.016	晴	假设@12:25 未知程序 (未用传感器)
13:35	160	80.0	0.016	晴	假设@13:35 未知程序 (未用传感器)
总计	800.0 (5次)	400.0			建议进液EC: 4600, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	160	80.0	0.016	霾	假设@08:50 未知程序 (未用传感器)
09:50	160	80.0	0.016	阴	假设@09:50 未知程序 (未用传感器)
11:15	160	80.0	0.016	多云	假设@11:15 未知程序 (未用传感器)
12:40	160	80.0	0.016	多云	假设@12:40 未知程序 (未用传感器)
13:55	160	80.0	0.016	多云	假设@13:55 未知程序 (未用传感器)
总计	800.0 (5次)	400.0			建议进液EC: 4600, PH: 6.5





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	160	80.0	0.016	雾	假设@08:50 未知程序 (未用传感器)
09:40	160	80.0	0.016	雾	假设@09:40 未知程序 (未用传感器)
11:25	160	80.0	0.016	晴	假设@11:25 未知程序 (未用传感器)
12:40	160	80.0	0.016	晴	假设@12:40 未知程序 (未用传感器)
13:50	160	80.0	0.016	晴	假设@13:50 未知程序 (未用传感器)
总计	800.0 (5次)	400.0			建议进液EC: 4600, PH: 6.5

