



FgArea: [' 0']
NJ15 P1
2025-12-14 (Day 53)









Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Warning: col ['EcFgro', 'EcFzExp', 'EcPltng'] is missing

Plot [' ECopt']














Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:20	140	70.0	0.014	晴	预期@09:20 手动 (未用传感器)
10:15	140	70.0	0.014	晴	预期@10:15 手动 (未用传感器)
11:40	140	70.0	0.014	晴	预期@11:40 手动 (未用传感器)
12:55	140	70.0	0.014	晴	预期@12:55 手动 (未用传感器)
14:15	140	70.0	0.014	晴	预期@14:15 手动 (未用传感器)
总计	700.0 (5次)	350.0			建议进液EC: 4600, PH: 6.5








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
11:20	160	80.0	0.016	雾	假设@11:20 未知程序 (未用传感器)
总计	160.0 (1次)	80.0			建议进液EC: 4600, PH: 6.5








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:55	160	80.0	0.016	多云	假设@08:55 未知程序(未用传感器)
09:55	160	80.0	0.016	多云	假设@09:55 未知程序(未用传感器)
12:40	160	80.0	0.016	多云	假设@12:40 未知程序(未用传感器)
总计	480.0 (3次)	240.0			建议进液EC: 4600, PH: 6.5






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:50	160	80.0	0.016	雾	假设@08:50 未知程序 (未用传感器)
09:50	160	80.0	0.016	雾	假设@09:50 未知程序 (未用传感器)
11:20	160	80.0	0.016	雾	假设@11:20 未知程序 (未用传感器)
12:45	160	80.0	0.016	霾	假设@12:45 未知程序 (未用传感器)
14:15	160	80.0	0.016	多云	假设@14:15 未知程序 (未用传感器)
总计	800.0 (5次)	400.0			建议进液EC: 4600, PH: 6.5







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:00	160	80.0	0.016	雾	假设@09:00 未知程序 (未用传感器)
10:00	160	80.0	0.016	雾	假设@10:00 未知程序 (未用传感器)
11:30	160	80.0	0.016	阴	假设@11:30 未知程序 (未用传感器)
13:15	160	80.0	0.016	晴	假设@13:15 未知程序 (未用传感器)
总计	640.0 (4次)	320.0			建议进液EC: 4600, PH: 6.5

