FgArea: ['0']
SS40 XX6
2026-04-14 (Day 219)


fgNum 1 (at_row = 2.0)
VI
VO
d


fgNum 2 (at_row = 32.0)
VI
VO
d


1 VN
d


2 VN
d


1 OIR
d


2 OIR
d


1 VI vs Du
DU


2 VI vs Du
DU


1 FR
d


2 FR
d


1 setVI
d


2 setVI
d


1 (fgArea = NA)
ECI*10%
ECO
7000
6000
5000
4000
3000
2000
1000
25
50
75
100
125
150
175
200
d


2 (fgArea = NA)
ECI*10%
ECO
7000
6000
5000
4000
3000
2000
1000
25
50
75
100
125
150
175
200
d


PHI*10%
PHO
9
8
7
6
5
4
3
25
50
75
100
125
150
175
200
d


PHI*10%
PHO
9
8
7
6
5
4
3
25
50
75
100
125
150
175
200
d


Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]
ECdef
EcParam
water_ec
Warning: col ['EcFgro', 'EcFzExp', 'EcPltng'] is missing
3000
2500
2000
1500
1000
500
0
0
50
100
150
200
250
300
d


Plot ['ECopt']
ECopt
3000
2500
2000
1500
1000
500
0
0
50
100
150
200
250
300
d


Plot Sensor and FgRec Detail
DUC
FRV
FRC
day
197.5
200.0
202.5
205.0
207.5
210.0
212.5
215.0
217.5


Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]
ETcA_VN
Warning: col ['ETcA_ws'] is missing
d
ETcB_VN
Warning: col ['ETcB_ws'] is missing
d


Plot [['ETcAraw:o', 'ETcA']]
ETcAraw
ETcA
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
50
100
150
200
d


Plot [['ETcBraw:o', 'ETcB']]
2.00
1.75
1.50
1.25
1.00
0.75
0.50
0.25
0.00
0
50
100
150
200
d
ETcBraw
ETcB

I'], ['T', 'optT'], ['RH', 'optRH'], ['ETcI', 'optETcI'], ['ETcIdef', 'optETcIdef'], ['ETol', 'optETol'], 'LAI', ['optEtRate', 'optEtRateDef', '


















Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]
0.8
0.6
0.4
0.2
0
50
100
150
200
250
300
d
taoc
taoc_raw
taoc_avg


Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'slSetVI']]
setVI_ETcl
setVI_fgRec
setVI_VN
slSetVI
80
60
40
20
0
0
50
100
150
200
d


Plot [['FRV:b-o', 'VI_ws:r-o', 'VI:g-o']]
FRV
VI
Warning: col ['VI_ws'] is missing
500
400
300
200
100
0
0
50
100
150
200
d


Plot [['VO_ws:r-o', 'VO:g-o']]
VO
Warning: col ['VO_ws'] is missing
0
20
40
60
80
100
120
25
50
75
100
125
150
175
200
d


Plot [['delta_drain:ro', 'adjV0:g-o']]
adjV0
0.04
0.02
0.00
-0.02
-0.04
Warning: col ['delta_drain'] is missing
0
50
100
150
200
d


Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]
ECI
Warning: col ['ECC', 'FVIEC'] is missing
5000
4000
3000
2000
1000
25
50
75
100
125
150
175
200
d


Plot [['FVOEC:r-o', 'ECO:g-o']]
ECO
Warning: col ['FVOEC'] is missing
6000
5000
4000
3000
2000
25
50
75
100
125
150
175
200
d


Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]
PHI
Warning: col ['PHC', 'FVIPH'] is missing
8.0
7.5
7.0
6.5
6.0
5.5
5.0
4.5
25
50
75
100
125
150
175
200
d


Plot [['FVOPH:r-o', 'PHO:g-o']]
PHO
Warning: col ['FVOPH'] is missing
9.0
8.5
8.0
7.5
7.0
6.5
25
50
75
100
125
150
175
200
d


Plot ET/VN
ETcl
ETcldef
VN
600
500
400
300
200
100
0
50
100
150
200
d


Plot Fv and fertilizer usage
cumETcldef
cumETcl
cumFRV
cumVI
cumVO
cum_stock_vol
ECI
Warning: col ['ECB', 'fz_stock_ec'] is missing
estFDF
d
d
d
d


Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa
N_kg_mu
P205_kg_mu
K20_kg_mu
0.04
0.02
0.00
-0.02
-0.04
0
50
100
150
200
d
40
30
20
10
0
N_kg_mu
d
50
40
30
20
10
0
P205_kg_mu
d
60
50
40
30
20
10
0
K20_kg_mu
d


Trend plot forXX6_0
minFVI
minFVO
Warning: col ['minFVIraw', 'minFVOraw'] is missing
ETcA
Warning: col ['ETcAIraw', 'ETcA1', 'ETcA2raw', 'ETcA2']
Warning: col ['ETcA2raw', 'ETcA2avg', 'ETcA2']
ECopt
ECI
ECO
Warning: col ['ECO'] is missing
PHopt
PHI
PHO
Warning: col ['PHC'] is missing
WCperM
Warning: col ['WCperMraw', 'WCperMavg'] is missing
minDeltaM
avgDeltaM
stdDeltaM
begM
maxM
minM
adjFVOR
Warning: col ['adjFVIRraw', 'adjFVIR', 'adjFVORraw'] is missing
FRA
FRC
FRraw
FR
LAI
beg_wc
postFgEtraw
postFgEtavg
postFgEt
d


FgDaily
d
0.0
10.0
20.0
30.0
40.0
50.0
60.0
70.0
80.0
90.0
100.0
110.0
120.0
130.0
140.0
150.0
160.0
170.0
180.0
190.0
200.0
210.0
100
80
60
40
20
0
进液EC
回液EC
进液PH
设置EC
回液EC差
母液EC
回液PH差
EC执行
回液PH
母液PH
PH执行
设置PH
排灌比
液量比较
scTgtEC0
scSum

XX6_0












ETcl
ETcldef
ETcP
ETcPT
ETclis
ESo
ETol
ETbai
pR
pVPD
VN
I
PPFD
T
RH
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75


ETcl
ETol
T
RH
VN
I
ETcl
ETol
T
RH
VN
I





baiA	baiB
0.1197	0.1518






hour
7:00
8:55
10:10
11:10
12:05
13:00
14:00
15:10
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
灌溉量执行
含水率
灌溉时间点
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:00	462	60.0	0.359	多云	预期@07:00 建议（未用传感器）
08:55	462	60.0	0.359	多云	预期@08:55 建议（未用传感器）
10:10	462	60.0	0.359	多云	预期@10:10 建议（未用传感器）
11:10	462	60.0	0.359	多云	预期@11:10 建议（未用传感器）
12:05	462	60.0	0.359	多云	预期@12:05 建议（未用传感器）
13:00	462	60.0	0.359	多云	预期@13:00 建议（未用传感器）
14:00	462	60.0	0.359	小雨	预期@14:00 建议（未用传感器）
15:10	462	60.0	0.359	小雨	预期@15:10 建议（未用传感器）
总计	3696.0 (8次)	480.0			建议进液EC：1940， PH：6.0

XX6_0, Day=219 (2026-04-14)




hour
7:05
9:00
10:25
11:45
12:50
14:00
15:10
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
含水率
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	180	70.0	0.419	多云	假设@07:05 手动（未用传感器）
09:00	180	70.0	0.419	多云	假设@09:00 手动（未用传感器）
10:25	180	70.0	0.419	多云	假设@10:25 手动（未用传感器）
11:45	180	70.0	0.419	多云	假设@11:45 手动（未用传感器）
12:50	180	70.0	0.419	多云	假设@12:50 手动（未用传感器）
14:00	180	70.0	0.419	多云	假设@14:00 手动（未用传感器）
15:10	180	70.0	0.419	多云	假设@15:10 手动（未用传感器）
总计	1260.0 (7次)	490.0			建议进液EC：1940， PH：6.0

滴头平均流速偏小（0.13 vs def 0.5），请检查
上次灌溉时长未按模型建议(180 vs 538.0))
默认实际灌溉23.0 ml.

XX6_0, Day=218.0 (2026-04-13)




hour
7:05
8:30
9:25
10:30
11:25
12:20
13:05
13:50
14:35
15:30
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
含水率
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	182	60.0	0.359	晴	假设@07:05 手动（未用传感器）
08:30	182	60.0	0.359	晴	假设@08:30 手动（未用传感器）
09:25	182	60.0	0.359	晴	假设@09:25 手动（未用传感器）
10:30	182	60.0	0.359	晴	假设@10:30 手动（未用传感器）
11:25	182	60.0	0.359	晴	假设@11:25 手动（未用传感器）
12:20	182	60.0	0.359	晴	假设@12:20 手动（未用传感器）
13:05	182	60.0	0.359	晴	假设@13:05 手动（未用传感器）
13:50	182	60.0	0.359	晴	假设@13:50 手动（未用传感器）
14:35	182	60.0	0.359	晴	假设@14:35 手动（未用传感器）
15:30	182	60.0	0.359	晴	假设@15:30 手动（未用传感器）
总计	1820.0 (10次)	600.0			建议进液EC：1940， PH：6.0

滴头平均流速偏小（0.13 vs def 0.5），请检查
上次灌溉时长未按模型建议(180 vs 462.0))
默认实际灌溉23.0 ml.

XX6_0, Day=217.0 (2026-04-12)




hour
7:05
8:40
9:40
10:35
11:25
12:20
13:10
13:55
14:45
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
灌溉量执行
含水率
灌溉时间点
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	180	60.0	0.359	晴	假设@07:05 手动（未用传感器）
08:40	180	60.0	0.359	晴	假设@08:40 手动（未用传感器）
09:40	180	60.0	0.359	晴	假设@09:40 手动（未用传感器）
10:35	180	60.0	0.359	晴	假设@10:35 手动（未用传感器）
11:25	180	60.0	0.359	晴	假设@11:25 手动（未用传感器）
12:20	180	60.0	0.359	晴	假设@12:20 手动（未用传感器）
13:10	180	60.0	0.359	晴	假设@13:10 手动（未用传感器）
13:55	180	60.0	0.359	晴	假设@13:55 手动（未用传感器）
14:45	180	60.0	0.359	晴	假设@14:45 手动（未用传感器）
总计	1620.0 (9次)	540.0			建议进液EC：1940， PH：6.0

滴头平均流速偏小（0.13 vs def 0.5），请检查
上次灌溉时长未按模型建议(180 vs 462.0))
默认实际灌溉23.0 ml.

XX6_0, Day=216.0 (2026-04-11)




hour
7:10
9:00
10:05
11:35
12:35
13:30
14:25
15:30
EC设置
EC执行
灌溉EC
PH设置
PH执行
灌溉PH
时长设置
时长执行
灌溉量执行
含水率
灌溉时间点
VPD
总分
100
80
60
40
20
0

时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	180	60.0	0.359	多云	假设@07:10 手动（未用传感器）
09:00	180	60.0	0.359	晴	假设@09:00 手动（未用传感器）
10:05	180	60.0	0.359	晴	假设@10:05 手动（未用传感器）
11:35	180	60.0	0.359	晴	假设@11:35 手动（未用传感器）
12:35	180	60.0	0.359	晴	假设@12:35 手动（未用传感器）
13:30	180	60.0	0.359	晴	假设@13:30 手动（未用传感器）
14:25	180	60.0	0.359	晴	假设@14:25 手动（未用传感器）
15:30	180	60.0	0.359	晴	假设@15:30 手动（未用传感器）
总计	1440.0 (8次)	480.0			建议进液EC：1940， PH：6.0

滴头平均流速偏小（0.13 vs def 0.5），请检查
上次灌溉时长未按模型建议(180 vs 462.0))
默认实际灌溉23.0 ml.

XX6_0, Day=215.0 (2026-04-10)